

Tsunami Forecast Model for Sitka, AK

Elena Tolkova, Paul Chamberlain

Contents

1	Background and objectives	5
2	Forecast Methodology	6
3	Model Development	7
3.1	Forecast Area	7
3.1.1	Sitka tide gage and historical tsunami records	8
3.2	Tsunami wave dynamics, as inferred from tsunamis records	8
3.3	Model Setup	9
3.3.1	Bathymetry sources	9
3.3.2	Grid selection	10
4	Results and Discussion	11
4.1	Model Validation with Historical Tsunami Records	11
4.2	Stability Testing	11
5	Summary and Conclusion	12
6	Acknowledgments	13
A	Model *.in files for Sitka, AK	17
A.1	Forecast Model *.in file, to be used with MOST v.2	17
A.2	Reference and Forecast model parameters in individual grids, to be used with MOST v.4	17
B	Propagation Database: Pacific Ocean Unit Sources	51
C	SIFT Testing	86
C.1	PURPOSE	86
C.2	TESTING PROCEDURE	86
C.3	Results	87

List of Figures

1	Sitka, Alaska (denoted by the square). Courtesy of Google maps, image composition by David Burwell.	19
---	--	----

2	Rupture areas of large earthquakes and seismic activity in Southeast Alaska with locations determined by the Alaska Earthquake Information Center. The events with moment magnitude less than 5 are shown as dots, and color-coded according to depth. Courtesy of Elena Suleimani, University of Alaska, Fairbanks.	20
3	View of the Sitka tide gage, courtesy of NOAA/NOS, http://tidesandcurrents.noaa.gov	21
4	Power spectrum of the gage background signal computed for a twelve day record in January 2-13, 2012. Inner plot: sample background signal (residual of tidal removal) at the gage.	22
5	Power spectrum of the signal of the Apr. 1, 1946 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.	23
6	Power spectrum of the signal of the Nov. 4, 1952 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time from 00:00 on Nov. 4, 1952.	24
7	Power spectrum of the signal of the Mar. 22, 1960 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time from 00:00 on Mar. 23, 1960.	25
8	Power spectrum of the signal of the Mar. 28, 1964 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.	26
9	Power spectrum of the signal of the Feb. 27, 2010 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.	27
10	Power spectrum of the signal of the Mar. 11, 2011 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.	28
11	Coverage of the reference 20-s A grid (red contour), and 30-s optimized A grid (yellow contour). Red star marks the forecast area (Sitka sound).	29
12	Contours of reference B grid (red), optimized B grid (yellow) and C grid (green). Red star points tide gauge location. Colorscale - meters.	30
13	Reference C grid. Red triangle points tide gauge location, orange triangle - virtual gauge. Colorscale - meters.	31
14	Simulated time history of the March 9, 1957 tsunami at Sitka tide gage. Simulation was performed with the same (reference) set of B and C grids enclosed in either reference (red) or optimized (blue) A grid.	31
15	Simulated time history of the March 11, 2011 tsunami at Sitka tide gage. Simulation was performed with the same (reference) set of B and C grids enclosed in either reference (red) or optimized (blue) A grid.	32
16	Time histories at the gage computed directly with the optimized B grid (red), and further refined with the use of either optimized C grid at 3 arc-sec resolution (green dashed) or reference C grid with 2/3 arc-sec resolution (blue dashed). Simulation of the 2011 East Japan tsunami.	32
17	Epicenter locations of the events used with the model development. Black dots - synthetic events, red dots - historic events, green circle - forecast area.	33
18	Simulated time history (red) of the April 1, 1946 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model.	34

19	Simulated time history (red) of the March 28, 1964 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model.	35
20	Simulated time history (red) of the February 27, 2010 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model. Model is delayed 12 min.	36
21	Simulated time history (red) of the March 11, 2011 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model. Model is delayed 7 min.	37
22	Simulated time history (red) of the October 28, 2012 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model. Model is advanced 6 min.	38
23	Time histories at the gage location, according to Forecast Model (blue) and Reference Model (red), in Mega events 1-10 (as numbered in the plots).	39
24	Time histories at the gage location, according to Forecast Model (blue) and Reference Model (red), in Mega events 11-20 (as numbered in the plots) and in Mw 7.5 event.	40
25	Time histories at the virtual gage on Japonski island, according to Forecast Model (blue) and Reference Model (red), in Mega events 1-10 (as numbered in the plots).	41
26	Time histories at the virtual gage on Japonski island, according to Forecast Model (blue) and Reference Model (red), in Mega events 11-20 (as numbered in the plots) and in Mw 7.5 event.	42
27	Maximum water elevation with respect to still sea level in Mega 3 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	43
28	Maximum water elevation with respect to still sea level in Mega 4 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	44
29	Maximum water elevation with respect to still sea level in Mega 7 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	45
30	Maximum water elevation with respect to still sea level in Mega 8 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	46
31	Maximum water elevation with respect to still sea level in Mega 9 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	47

32	Maximum water elevation with respect to still sea level in Mega 14 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	48
33	Maximum water elevation with respect to still sea level in Mega 20 (local) event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.	49
34	Sitka Harbor, Alaska in May 2002. Image from Wikimedia Commons. Photograph by Robert A. Estremo, copyright 2002 under Creative Commons Attribution-Share Alike 2.0 Generic license.	50
35	Aleutian-Alaska-Cascadia Subduction Zone unit sources.	53
36	Central and South America Subduction Zone unit sources.	58
37	Eastern Philippines Subduction Zone unit sources.	65
38	Kamchatka-Kuril-Japan-Izu-Mariana-Yap Subduction Zone unit sources.	67
39	Manus-Oceanic Convergent Boundary Subduction Zone unit sources.	72
40	New Guinea Subduction Zone unit sources.	74
41	New Zealand-Keradec-Tonga Subduction Zone unit sources.	76
42	New Britain-Solomons-Vanuatu Zone unit sources.	80
43	Ryukyu-Kyushu-Nankai Zone unit sources.	84
44	Response of the Sitka forecast model to synthetic scenario KISZ 22-31 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with timeseries 2 in Figure 23.	89
45	Response of the Sitka forecast model to synthetic scenario ACSZ 56-65 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with the blue curve in timeseries 9 in Figure 23.	90
46	Response of the Sitka forecast model to synthetic scenario CSSZ 89-98 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with timeseries 12 in Figure 24.	91
47	Response of the Sitka forecast model to synthetic scenario NTSZ 30-39 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with timeseries 14 in Figure 24.	92
48	Response of the Sitka forecast model to the 2011 Tohoku tsunami. Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with the red curve in Figure 21, bottom pane.	93

List of Tables

1	Parameters of the reference and optimized grids. Run times correspond to 10-hour-long simulation.	15
2	Historical tsunamis recorded at Sitka tide gage. Mw - earthquake magnitude, Tw - event magnitude based on tsunami source reconstruction. Digitized marigrams or digital records are available for all the events except March 9, 1957 tsunami. Tsunami source combination is shown for the events being simulated.	15
3	Synthetic scenarios used to test the forecast model. Star indicates the events simulated with the reference model as well.	16
4	Forecast Model parameter file for optimized 10-hour simulation with MOST v.2. . .	17
5	Parameters for reference and optimized 10-hour simulation with MOST v.4. Each grid has a specific set of the parameters.	18
6	Earthquake parameters for Aleutian–Alaska–Cascadia Subduction Zone unit sources.	54
7	Earthquake parameters for Central and South America Subduction Zone unit sources.	59
8	Earthquake parameters for Eastern Philippines Subduction Zone unit sources.	66
9	Earthquake parameters for Kamchatka–Kuril–Japan–Izu–Mariana–Yap Subduction Zone unit sources.	68
10	Earthquake parameters for Manus–Oceanic Convergent Boundary Subduction Zone unit sources.	73
11	Earthquake parameters for New Guinea Subduction Zone unit sources.	75
12	Earthquake parameters for New Zealand–Keradec–Tonga Subduction Zone unit sources.	77
13	Earthquake parameters for New Britain–Solomons–Vanuatu Subduction Zone unit sources.	81
14	Earthquake parameters for Ryukyu–Kyushu–Nankai Subduction Zone unit sources.	85
15	Table of maximum and minimum amplitudes at Sitka, Alaska warning point for synthetic and historical events tested using SIFT.	88

Abstract

Based on Method Of Splitting Tsunami (MOST) numerical model, a tsunami Forecast Model has been developed for a city of Sitka, AK, along with a reference inundation model at higher resolution and larger space coverage. Both models showed robust performance with a number of historical and synthetic events, including extreme scenarios. Simulations of historical tsunami events with the Forecast Model and with the Reference Model are in good agreement with available tsunami records at Sitka tide gage. Simulations of artificial events were conducted to test the models for stability and mutual consistence. It is expected, that the forecast model for Sitka, AK, is able to provide an accurate estimate of a wave arrival time, wave height, and inundation extend in minutes of computational time in advance of a tsunami arrival, should the tsunami happen.

1 Background and objectives

The National Oceanic and Atmospheric Administration (NOAA) Center for Tsunami, Research (NCTR) at the NOAA Pacific Marine Environmental Laboratory (PMEL) has developed a tsunami forecasting capability for operational use by NOAA's two Tsunami Warning Centers located in Hawaii and Alaska (Titov et al., 2005). The system is designed to efficiently provide basin-wide warning of approaching tsunami waves accurately and quickly. The system, termed Short-term

Inundation Forecast of Tsunamis (SIFT), combines real-time tsunami event data with numerical models to produce estimates of tsunami wave arrival times and amplitudes at a coastal community of interest. The SIFT system integrates several key components: deep-ocean observations of tsunamis in real time, a basin-wide pre-computed propagation database of water level and flow velocities based on potential seismic unit sources, an inversion algorithm to refine the tsunami source based on deep-ocean observations during an event, and high-resolution tsunami forecast models.

Sited at the base of an extinct volcano, Sitka was first observed by Europeans on the Bering expedition of 1741 where it was noted for its location and resources. Soon after initial observation, Sitka was colonized and became the capital of Russian America (Sitka, 2010-2011). Following the United States purchase of Alaska in 1867 Sitka became the capital of the Alaska territory and maintained this position until 1906 when the capital was moved to Juneau. Sitka is located on Baranof Island and is only accessible by boat and plane. Today, Sitka serves as the seat of the Borough of Sitka. The 2010 census reported 8,881 people and 3,516 households reside in the town (<http://quickfacts.census.gov/qfd/states/02/02220.html>), making it the fourth largest city by population in the state of Alaska. US Coast Guard Air Station Sitka and Rocky Gutierrez Sitka Airport are both located on Japonski Island in Sitka Sound. The Borough of Sitka is known historically for resource extraction including shing, mining, lumber. A large fishing fleet in Sitka Harbor is specialized in salmon, halibut, and sablefish. Sitka is the 6th largest port by value of seafood harvest in the United States. Recently, the economy has diversified into accommodating summer cruise ships and eco tourists. Cruise ships bring over 120,000 people to Sitka annually (Sitka, 2010-2011). Figure 1 shows satellite view to the Sitka sound.

Due to its remote location, low-lying population center, and high influx of seasonal tourists, the potential impact of a tsunami event on the economy and infrastructure of Sitka is high. To manage this risk, the Tsunami Warning Centers designated Sitka as a community that would benefit from a tsunami forecast model. In 2003, Sitka was designated a Tsunami Ready community.

The first version of a Sitka forecast model was developed by Dr. David C. Burwell in 2006. It had been working in the SIFT system until October 2012. As new tsunami data were collected and the model development technique progressed further, the model had been re-visited. This report describes the development and testing of an updated Sitka forecast model including analysis of existing tsunami records, computational grid development, numerical set-up, model validation with historical events, and further stability testing with synthetic events.

2 Forecast Methodology

The NOAA tsunami forecast system employs the Method of Splitting Tsunami (MOST) numerical model (Titov & Synolakis, 1998), which is a set of code for simulating three processes of tsunami evolution: generation by an earthquake, transoceanic propagation, and inundation of dry land at specific sites.

The forecast is supported by the database of an ocean-wide 24-hour-long simulation of a tsunami wave propagation, for numerous tsunamis generated by hypothetical unit earthquakes covering world-wide subduction zones (Gica et al., 2008). As the tsunami wave propagates across the ocean and reaches tsunameter observation sites, the forecasting system uses a data inversion technique coupled with a pre-computed tsunami generation scenarios to deduce the tsunami source in terms of the database of unit earthquakes (Percival et al., 2009). A linear combination of the pre-computed unit tsunamis is then used to determine the offshore tsunami waves and to produce synthetic boundary

conditions of water elevation and flow velocities into site-specific forecast models. The main objective of a forecast model is to provide an accurate estimate of a wave arrival time, wave height, and inundation extent at a particular location in minutes of computational time, in advance of the wave arrival. Previous and present development of forecast models in the Pacific (Titov et al., 2005; Titov, 2009; Tang et al., 2008; Wei et al., 2008) have validated the accuracy and efficiency of each forecast model currently implemented in the real-time tsunami forecast system.

3 Model Development

Each forecast model consists of three nested grids with increasing spatial resolution, referred to as A, B, and C-grids. The outer and the coarser grid A receives its boundary input of water elevation and flow velocities from the pre-computed database, and provides the boundary input of a re-fined (with respect to the database) solution into B grid, which is smaller in extent and finer in resolution. The B-grid solution, refined further, provides the boundary input into the finest and smallest of the three C grid. Within C grid, the solution is expected to be accurate enough to match the major features of a tide gauge tsunami record.

All tsunami forecast models are run in real time while a tsunami is propagating across the open ocean. Thus the computational time is the critical factor for a model development. Meeting the time constrain is achieved by manipulating with the spatial and temporal resolution of grids used in modeling, with an objective to balance computational speed with numerical accuracy.

The development of a Forecast Model is centered around "optimizing" (reducing) coverage and resolution of computational grids, to reduce the computational time as much as possible without noticeable degradation of the numerical solution, in particular, a time history at an observational point (usually, at a tide gage location). Time histories computed with optimized grids are evaluated by visual comparison with the time history obtained with a reference model comprised of larger and/or finer grids (Tang et al., 2009).

3.1 Forecast Area

Sitka is located on the lowlands along the Gulf of Alaska on Sitka Sound, on the west side of Baranof Island. Sitka Sound is a complex archipelago of low-lying pinnacles and interconnected islands. The deepest charted depth in the approaches to Sitka Sound is 105 fathoms with rapid and complex shoaling occurring to the north and east. In this region of southeast Alaska, the continental shelf extends approximately 35 miles offshore.

Sitka is facing the Fairweather - Queen Charlotte (FW-QC) transform fault system, which is the most active part of the Pacific - North America plate boundary in Southeast Alaska. The northern Fairweather fault has a slip rate of 44.62.0 mm/yr, one of the highest rates observed across any strike-slip fault in the world (Fletcher and Freymueller, 2003). Large earthquakes on the fault occurred in 1927 (Ms 7.1), August 22, 1949 (Ms 8.1), July 10, 1958 (Ms 7.9-8.2), and July 30, 1972 (Ms 7.6), the rupture areas shown in Figure 2. However, all earthquakes observed so far in the Sitka region of the fault display strike-slip mechanism (Suleimani et al., 2013), which is not efficient in generating tsunamis (though 1958 earthquake caused a rockslide which resulted in one of the largest local tsunamis ever recorded, with 530 m high surge in Lituya Bay, AK). The tectonic plate convergence exists in the southern part of QC fault which can result in more tsunamigenic subduction-type earthquakes, as the recent Ms 7.7 Haida Gwaii earthquake of October 28, 2012. ATWC historic tsunami database (http://oldwcatwc.arh.noaa.gov/web_tsus/pastaor_tsunamis.htm) has tsunami data of the

1949, 1958, and 1972 events. In each of the three events, as well as in the 2012 event, tsunami wave amplitude detected at Sitka was under 10 cm.

While damaging locally-generated tsunamis have not been observed in Sitka region, which is explained by the regional tectonic regime, far-field tsunamis affected the city of Sitka and its surroundings several times in the past 100 years.

3.1.1 Sitka tide gage and historical tsunami records

The area's tide gage (57°3.1' N and 135°20.5' W) maintained by National Ocean Service (NOS) is located in a fish processing building 250 ft down the pier in the Sitka Sound Seafood Dock (see Figure 3 for the gage image and Figure 13 for the gage location). The mean range at Sitka is 7.70 feet and the diurnal range is 9.94 feet. Mean sea level is recorded at 9.81 feet. The gauge was first established in 1938 and has been in its current installation since 1989, when a digital tide gauge was installed. Prior to this, the gage data were recorded as marigrams. Model to data comparisons in this report use digitized marigrams if available (in particular, a collection of digitized historical tsunami records is hosted by ATWC at http://oldwcatwc.arh.noaa.gov/web_tsus/pastaor_tsunamis.htm), and the tsunami source estimates, produced by NCTR.

Events listed in Table 2 were recorded at Sitka tide gage and will be referred to in this report. Location of the events' epicenters is shown in Figure 17. Spaeth and Berkman (1967) report maximum recorded rise or fall (through-to-peak or peak-to-through elevation) of 2.6 ft in 1946 event, 1.5 ft in 1952, 2.6 ft in 1957, 3.0 ft in 1960, and 14.3 ft in the Great Alaskan tsunami of 1964, which is also the largest tsunami wave recorded at Sitka tide gage.

3.2 Tsunami wave dynamics, as inferred from tsunamis records

Continental shelf generally protects Sitka from ocean waves. At the same time, it can act as a waveguide or traps some wave energy. Due to the later, there is high level of background signal at the gage, composed of shelf waves and oscillations of adjacent water masses. Thus only the major trans-Pacific tsunamis or the tsunamis originated relatively close-by can leave distinct records at Sitka tide gage. Many recent tsunami recorded throughout the Pacific, such as Sep. 29, 2009 Samoa tsunami or Jan 13, 2007 Kuril tsunami, both due to Mw 8.1 earthquakes, are hard to distinguish in the background signal of the Sitka gage.

The tsunami records at Sitka listed in Table 2 are analyzed below for temporal and spectral content, with an objective to infer on tsunami wave dynamics. The power spectrum of each record was estimated as an amplitude of the Discrete Fourier Transform of a central fragment of the record auto-correlation coefficient computed for time lags from -511 min to 512 min and weighted with a raised cosine window (Hamming, 1998). This technique, suggested in (Tolkova and Power, 2011), sets the desired spectral resolution independently of the record duration, while using the entire data set. The power spectrum, or energy spectrum density of a time-series is expressed in $m^2 \cdot h$ or $cm^2 \cdot h$, with the area under the spectrum equal to the average squared value in the time series of N samples at Δt interval, or the record's variance.

The area's selectivity to wavelength/frequency, if any, shows itself in spectra of background signal (seiche). After the tidal component in the gage record was removed with Butterworth filter with 4 hour cut-off period, average power spectrum of the residual (background signal) was computed to detect normal oscillations in the area, if any. Figure 4 shows power spectrum, or energy spectral density, of the gage background signal computed with a 12-day long record of the gage in Jan. 2-13, 2012. Root-mean-square (rms) value of the signal is 1.4 cm. The spectrum is strongly dominated

by a frequency of about 0.5 cycle/hour, followed by a few lower spectral peaks at 1.3 c/h, 2.4 c/h, and higher.

Figures 5-10 show power spectra of the records of five tsunami events in 1946, 1952, 1964, 2010, and 2011, in where we can see essentially the same spectral peaks, which indicates excitation of local resonances. The lowest resonant frequency of 0.5 c/h, at depth of about 100 m, corresponds to a lowest normal mode (pumping mode) in a resonator 50 km long, which might indicate the bay coupled to the adjacent segment of the continental shelf. Determining the space extent of a normal mode requires more specific analysis (Tolkova and Power, 2011) and is beyond the scope of this work. The next spectral peak at 1.3 c/h might correspond to a pumping mode in a resonator 22 km long, which is the length of the bay itself. As the tsunami records show, the wave sets up the shelf pumping mode as it comes in. Every tsunami record starts with a wave with about 2 h period. After 1-2.5 h, higher frequencies appear in all records, except the record of the Great Alaskan tsunami of 1964. We suggest, that some of the higher peaks identify waves, which were trapped by the continental shelf and propagated along it. Those waves come 1-2.5 hours after the first arrival.

3.3 Model Setup

3.3.1 Bathymetry sources

Computational grids for the inundation tsunami models were developed using the following bathymetry/topography data:

- ETOPO1 1 arc-min grid (21601 by 10801 cells) of Earth's surface covering Pacific ocean from the top of the Antarctic to the Greenland ice sheets (Amante and Eakins, 2009), re-sampled in PMEL to 30 arc-sec.
- A grid developed in PMEL in 2005, which covers Sitka sound and adjacent ocean with a 9 sec spacing (152 m in x-direction, 278 m in y-direction). Referenced to Mean High Water.
- A 1/3-sec (5.6 m in x-direction, 10 m in y-direction) grid within the coordinate boundary 135.83 to 135.08 W and 56.78 to 57.27 N created by NGDC in FY11 for NCTR (Grothe et al., 2010). The DEM area covers the coastal region of Baranof Island centered on Sitka Harbor, and includes most of the Sitka sound. Referenced to Mean High Water.

The outermost A grid was cut from the 30-sec Pacific-wide grid. The intermediate level B grid was cut from the merged 9-sec and 1/3-sec grids. The last source grid was low-pass filtered to avoid aliasing when re-sampled to desired resolution. Finally, C-grid was cut from the 1/3-sec DEM. To ensure stability in simulations, all modeling grids were processed for SSL (Tolkova, 2013) which restricted variation of the refraction index between any two neighboring nodes to 2.1 times in A and C grids, and 1.9 in B grids.

The parameters of the reference and optimized grids are given in Table 1, and the grids' coverage is shown in Figures 11-13. Reference A and B grids were cut in a rotated spherical coordinate system which equator is aligned with the shoreline. Consequently, those grids have cells least affected by depression in latitude, and their cell size is given in seconds of Great arc. Computational (CPU) times listed in the Table and anywhere in this work were recorded with Dell PowerEdge R510 Linux machine, 2 x 2.93 GHz Xeon E5670 hex-core processors, running MOST code compiled with PGI Fortran compiler.

Run times listed in Table 1 correspond for 10-hour-long simulation after a tsunami entered A grid. Run times in individual grids are obtained with MOST v.4, without using its option to parallelize computations. The last column shows the total duration of the entire 10-hour simulation in either set of grids, depending on the MOST version.

3.3.2 Grid selection

Based on the expected tsunami dynamics in the area, the grids parameters were decided upon as follows:

- The outermost (A) grid resolution should allow for resolving coupled bay-shelf resonance and a shelf wave. Thus both reference and optimized A grids were selected with a relatively fine resolution of 20 sec and 30 sec of a great arc, respectively.
- A-grid coverage is essential for reproducing the shelf wave formation. It is expected, that during the first 1-2 h, the simulated wave train, arriving in Sitka following the deep ocean pass, would be fairly independent of A-grid coverage as long as the grid extends past the continental shelf in vicinity of the Sitka sound. However, waves arriving later following the continental shelf, would, on average, be the less intensive the less of the shelf is included into A grid.
- B grid, either reference or optimized, should encompass the Sitka sound and resolve its oscillations.
- The wave is correlated in space on a scale of the Sitka sound and is already well resolved in the B grid. Refining it further with the use of a C grid is needed to simulate the wave behavior in immediate vicinity of the shoreline and to account for inundation if any.

To assist with and to justify the grid selection, the Forecast Model development was carried out with MOST version 4, rather than with the current operational version (v.2). The version 4 performs computations in one grid at a time and saves the boundary input time-series along the perimeter of each next-level grid (Tolkova, 2013). This allows to decide on how changing parameters (coverage, resolution) of the specific grid would affect the next level solution, and to select parameters of one grid at a time. The version 4 also allows to use shoreline-oriented grids.

Figure 11 shows the extent of the outer level grids used in this model development. The larger 20-s grid serves as a reference grid. It includes a large section of the continental shelf to the north-west of Sitka, to being able to correctly simulate trapping and re-directing the wave within a large stretch of the shelf. The extent of the smaller 30-s grid, used as an optimized A grid, was selected to definitely encompass features essential for the wave transformation on the shelf in the vicinity of the Sitka sound. Reference A grid, cut in a rotated spherical coordinate system, has a coverage of $6.0^\circ \times 11.0^\circ$ of Great arc, or 667.9 km x 1224.5 km. Optimized A grid has a coverage of 2.917° (55.1417°N to 58.0584°N) x 2.195° (223.3247°E to 225.5197°E), or 324.7 km x 134.5 km.

To illustrate the effect which A-grid coverage could have on the result, two tsunami scenarios were simulated, each with the use of the same B and C grids, but different A grids. Figures 14 and 15 show simulated time histories of the March 9, 1957, and the March 11, 2011 tsunamis at Sitka tide gage. Simulation was performed with the same (reference) set of B and C grids enclosed in either reference or optimized A grid. The results obtained with different A grids remain very close for about 2 h, after which time higher frequency waves arrive, higher intensity when computed with the larger grid.

Reference B grid, in a rotated coordinates, has a coverage of $0.53^\circ \times 0.5^\circ$ of Great arc, or 59.00 km x 55.66 km, and a resolution of 6 sec of Great arc. Optimized B grid has a coverage of 0.55° (56.75°N to 57.3°N) x 0.8° (224.1°E to 224.9°E), or 61.23 km x 48.39 km, and a resolution of 9 sec in latitude and 16.525 sec in longitude.

A purpose of a C grid is to refine a B-grid solution and to provide an inundation forecast for a locality. Thus a B-grid solution provides the starting point from which refinements are to be made. Figure 16 displays time histories at the gage location obtained directly from the optimized B-grid, and further refined with either optimized or reference C grid. It can be seen, that B-grid solution provides a time history estimate very close to the ones refined with C grids. Time histories obtained with the reference and optimized C grids are very close as well. C grid contributed little in computing the wave form, but might be needed to account for inundation in large events. Thus the C grid extent (same for the Reference Model and the Forecast Model) was selected to include the low-laying area in the Sitka town, while the resolution was selected as commonly used: 2/3 s for RM, and 3 s for FM. C grid extent is 0.0417° (57.0292°N to 57.0708°N) x 0.1149° (224.6042°E to 224.7191°E), or 4.638 km x 6.957 km.

The models' parameter files are given in Appendix.

4 Results and Discussion

4.1 Model Validation with Historical Tsunami Records

Tsunami events, for which both a legitimate gage record and a reliable estimate of the tsunami source had been available, were simulated for the Reference and Forecast models validation. Source estimates for recent Chile 2010 tsunami, East Japan 2011, and Haida Gwaii, British Columbia 2012 tsunami were produced in NCTR, constrained with open-ocean tsunami records at DART stations. Source estimates for the Alaskan tsunami of 1964 and the Unimak 1946 tsunami were produced in NCTR, constrained with tide gage records. Author of the Alaskan tsunami source is Dr. Liujuan (Rachel) Tang. Validity of the sources is confirmed by fair agreement of the simulation results with each tsunami wave height measurements at tide gages at multiple locations Pacific-wide (http://nctr.pmel.noaa.gov/database_devel.html).

Figures 18 - 22 display tsunami time histories at Sitka gage simulated with Reference (red, top) and Forecast (red, bottom) models, as well as the measurements (black). Comparisons in five events display consistent results: for the first 4-5 hours after tsunami arrival, the wave envelope is followed in wide range of frequencies when modeled with the Reference Model. The lower frequency component of the wave is reproduced closely when modeled with the Forecast Model.

4.2 Stability Testing

To test the Forecast and Reference models for stability and for mutual consistence, a number of artificial events, including a micro-tsunami, a Mw 7.5 tsunami, and twenty mega-tsunamis of Mw 9.3 were simulated for 24 h with the both Models. The event sources were selected to represent different locations around Pacific Rim and in immediate vicinity of Sitka Sound (event Mega 20). All synthetic events emulate subduction-type scenarios, which might or might not correspond to a known type of seismic activity in each source region. In particular, subduction-type plate motion has not been observed in the Fairweather fault system (Suleimani et al., 2013). Hence Mega 20 tsunami event is not consistent with the known tectonic regime in the area. It is used only to test

the model’s correct operation in wide range of forcing, and should not be interpreted for the hazard assessment purposes. For the mega-events, the slip of 25 m was distributed evenly among the unit sources. Location of the events is shown in Figure 17. Synthetic scenarios are listed in Table 3. The model results are presented below.

Figures 23 - 26 show time histories at the tide gage location and at the virtual gage on Japonski island, computed with the Forecast Model. Seven events representing different subduction zones including the local event (mega events 3, 4, 7, 8, 9, 14 and 20) were also simulated with the Reference Model. The solutions by the Forecast Model and the Reference Model fairly agree with each other.

Figures 27 - 33 show maximal water elevation with respect to still sea level in grids B and C for the above seven mega events, the Forecast Model in comparison with the Reference Model. The results are fairly consistent between the two models, though the Reference model is likely to produce higher maximum wave amplitude in a channel separating Sitka town from Japonski island. At the same time, both models indicate similar inundated areas, with the Forecast Model often indicating more extensive inundation even with lower maximum wave height in the area. The reason for this seeming paradox can be found in comparisons of tsunami time histories computed with the two models (Figures 23 - 26). Higher maximum wave amplitude returned by the Reference Model is due to higher frequency wave component not present in the Forecast Model. Total amount of raised water moving onshore can be thought of as wave height multiplied by half of the wave length, which is roughly proportional to the wave period. Hence short waves add little to inundation. Thus the Forecast Model is expected to communicate inundation hazard correctly, though this model might underestimate maximum wave amplitude and associated currents in the open water. An area inundated in all seven events was a low-lying Indian River valley opening into Sitka harbor, depicted in Figure 34.

5 Summary and Conclusion

A tsunami forecast model was developed for the community of Sitka, Alaska. The developed model has been implemented into NOAA’s Short-term Inundation Forecast of Tsunamis (SIFT) to provide real-time modeling forecasts of the tsunami wave characteristics, runup, and inundation along Sitka’s coastline. Discussion of the details of each individual component of the forecast model, including the bathymetry and topography, the basic model setup, and the model parameters are provided in this report. The forecast model employs grids as fine as 90 m in resolution and can accomplish a 10-hr simulation after tsunami arrival in under 6 minutes of computation time. A reference model was developed using grids as fine as 20 m in resolution, to provide a reference for evaluation of forecast model results and performance.

Model validations have been carried out for the Sitka Forecast and Reference models using 5 historical tsunami events (listed in Table 2). For each event, the two model results were compared with observations recorded at the NOS tide station located in Sitka Harbor. The computed results for both the Forecast and Reference Sitka models showed good agreement with observations.

20 hypothetical Mw 9.3 mega events, including a near field event generating 7.8-m high runup, were also simulated to ensure model stability. All model validation and stability tests demonstrated that the Forecast and Reference tsunami models developed for Sitka, Alaska, are accurate, robust, and efficient for their implementation into both the short-term real-time tsunami forecast system and post-event tsunami inundation investigations.

The bathymetry and topography used in the development of this forecast model was based on a digital elevation model provided by the National Geophysical Data Center and the author considers

it to be an adequate representation of the local topography/bathymetry. As new digital elevation models become available, forecast models will be updated and report updates will be posted at http://nctr.pmel.noaa.gov/forecast_reports/.

6 Acknowledgments

This publication is funded by the Joint Institute for the Study of the Atmosphere and Ocean (JISAO) under NOAA Cooperative Agreement No. NA17RJ1232, Contribution (JISAO), ... (PMEL). Sincere thanks to Dr. Elena Suleimani, Geophysical Institute, University of Alaska, Fairbanks, for sharing her expertise in the area's tectonic regime and seismicity.

References

- Amante C. and Eakins B.W. (2009). ETOPO1 1arc-minute Global Relief Model: Procedures, Data sources and Analysis. NOAA Technical Memorandum NESDIS NGDC-24. Boulder, CO, 25 pp.
- Fletcher, H.J. and Freymueller, J.T. (2003). New constraints on the motion of the Fairweather fault, Alaska, from GPS observations, *Geophysical Research Letters*, vol. 30, 1139, doi:10.1029/2002GL016476.
- Grothe et al., 2011. Digital Elevation Models of Sitka, Alaska: Procedures, Data Sources and Analysis. Boulder, NGDC, 21 pp.
- Gica E., Spillane M.C., Titov V.V., Chamberlin C.D. and Newman J.C. (2008): Development of the forecast propagation database for NOAA's Short-Term Inundation Forecast for Tsunamis (SIFT), NOAA Tech. Memo. OAR PMEL-139, 89pp.
- Hamming RW (1998) Digital Filters. Dover publications, Inc. Mineola, New York
- Spaeth, M.G., and Berkman, S.C. (1967). The tsunami of March 28, 1964, as recorded at tide stations, C&GS Technical Bulletin #33, U.S. Dept. of Commerce, C&GS, 86 pp.
- Percival, D.B., D. Arcas, D.W. Denbo, M.C. Eble, E. Gica, H.O. Mofjeld, M.C. Spillane, L. Tang, and V.V. Titov (2009): Extracting tsunami source parameters via inversion of DART buoy data. NOAA Tech. Memo. OAR PMEL-144, 22 pp.
- Sitka, Alaska: 2010-2011 Community Profile. <http://www.sitka.net/>
- Suleimani, E.N., Nicolsky, D. J., and Koehler, R.D. Tsunami inundation maps of Sitka, Alaska. Alaska Division of Geological & Geophysical Surveys Report of Investigations 2013-XX.
- Tang, L., V.V. Titov, Y. Wei, H.O. Mofjeld, M. Spillane, D. Arcas, E.N. Bernard, C. Chamberlin, E. Gica, and J. Newman (2008): Tsunami forecast analysis for the May 2006 Tonga tsunami. *J. Geophys. Res.*, 113, C12015, doi: 10.1029/2008JC004922.
- Tang L., V. V. Titov, and C.D. Chamberlin (2009): Development, testing, and applications of site-specific tsunami inundation models for real-time forecasting. *J. Geophys. Res.*, 114, C12025, doi: 10.1029/2009JC005476.

- Titov V. V., González F. I., Bernard E. N., Eble M. C., Mofjeld H. O., Newman J. C., Venturato A. J., 2005. Real - Time Tsunami Forecasting: Challenges and Solutions. *Natural Hazards*, 35: 41 - 58.
- Titov V. V., Synolakis C. E., Numerical Modeling of Tidal Wave Runup, 1998, *J. Waterway, Port, Coastal and Ocean Eng.*, V 124, July / August, N 4, 157 - 171.
- E. Tolkova and W. Power (2011). Obtaining natural oscillatory modes of bays and harbors via Empirical Orthogonal Function analysis of tsunami wave fields. *Ocean Dynamics*, Vol.61/6, pp. 731-751. doi: 10.1007/s10236-011-0388-5
- E. Tolkova (2013). Method Of Splitting Tsunamis (MOST) model, version 4. In preparation.
- Wei, Y., E. Bernard, L. Tang, R. Weiss, V. Titov, C. Moore, M. Spillane, M. Hopkins, and U. Kanoglu (2008): Real-time experimental forecast of the Peruvian tsunami of August 2007 for U.S. coastlines. *Geophys. Res. Lett.*, 35, L04609, doi: 10.1029/2007GL032250.

Grid name	spacing, arc-s (lat) (lon)		row $\times$ clm	dt_{max} , s	dt , s	CPU time, min	total, min
A ref	20	20	1981×1081	3.15	2.5	144.2	162 (v.4)
B ref	6	6	301×319	2.9	2.5	4.0	
C ref	0.667	1.226	338×226	0.7	0.6	14.0	
A opt	30	54.5	146×351	5.38	5.0	1.7	3.0 (v.4)
B opt	9	16.525	175×221	5.78	5.0	1.0	5.5 (v.2)
C opt	3	5.516	76×51	3.23	2.5	0.25	

Table 1: Parameters of the reference and optimized grids. Run times correspond to 10-hour-long simulation.

Event	Date, Time (UTC) Epicenter	Mw	Tw	Source zone	Tsunami source
1946 Unimak	01 Apr 12:28:56 52.75N 163.50W	8.5	8.5	Aleutian-Alaska- Cascadia (ACSZ)	7.5 b23 + 19.7 b24 + 3.7 b25
1952 Kamchatka	04 Nov 16:58:26.0 52.76N 160.06E	9.0		Kamchatka-Kuril-Japan -Izu-Mariana-Yap (KISZ)	
1957 Andreanov	09 Mar 14:22:31 51.56N 175.39W	8.6		Aleutian-Alaska- Cascadia (ACSZ)	
1960 Chile	22 May 19:11:14 38.29S 73.05W	9.5		Central-South America (CSSZ)	
1964 Alaska	28 Mar 03:36:00 361.02N 147.65W	9.2	9.0	Aleutian-Alaska- Cascadia (ACSZ)	15.4 a34 + 19.4 a35 + 48.3 z34 + 18.3 b34 + 15.1 b35 (Tang)
2010 Chile	27 Feb 06:34:14 35.909S 72.733W	8.8	8.8	Central-South America (CSSZ)	17.24 a88+ 8.82 a90 + 18.39 b89 + 16.75 b90 + 11.86 b88 + 20.78 z88 + 7.06 z90
2011 Japan	11 Mar 05:46:23 36.5N 144.3E	8.9	8.9	Kamchatka-Kuril-Japan -Izu-Mariana-Yap (KISZ)	4.66 b24 + 12.23 b25 + 26.31a26 + 21.27 b26 + 22.75 a27+ 4.98 b27
2012 Canada	28 Oct 03:04:10 52.77N 131.93W	7.7	7.7	Aleutian-Alaska- Cascadia (ACSZ)	4.3 a51 + 0.36 b52

Table 2: Historical tsunamis recorded at Sitka tide gage. Mw - earthquake magnitude, Tw - event magnitude based on tsunami source reconstruction. Digitized marigrams or digital records are available for all the events except March 9, 1957 tsunami. Tsunami source combination is shown for the events being simulated.

Scenario Name	Source Zone	Tsunami Source	$\alpha(m)$
mega1 / KISZ 1-10	Kamchatka-Yap-Mariana-Izu-Bonin	A1-A10, B1-B10	25
mega2 / KISZ 22-31	Kamchatka-Yap-Mariana-Izu-Bonin	A22-A31, B22-B31	25
*mega3 / KISZ 32-41	Kamchatka-Yap-Mariana-Izu-Bonin	A32-A41, B32-B41	25
*mega4 / KISZ 56-65	Kamchatka-Yap-Mariana-Izu-Bonin	A56-65, B56-65	25
mega5 / ACSZ 6-15	Aleutian-Alaska-Cascadia	A6-A15, B6-B15	25
mega6 / ACSZ 16-25	Aleutian-Alaska-Cascadia	A16-A25, B16-B25	25
*mega7 / ACSZ 22-31	Aleutian-Alaska-Cascadia	A22-A31, B22-B31	25
*mega8 / ACSZ 50-59	Aleutian-Alaska-Cascadia	A50-A59, B50-B59	25
*mega9 / ACSZ 56-65	Aleutian-Alaska-Cascadia	A56-A65, B56-B65	25
mega10 / CSSZ 1-10	Central and South America	A1-A10, B1-B10	25
mega11 / CSSZ 37-46	Central and South America	A37-A46, B37-B46	25
mega12 / CSSZ 89-98	Central and South America	A89-A98, B89-B98	25
mega13 / CSSZ 102-111	Central and South America	A102-A111, B102-B111	25
*mega14 / NTSZ 30-39	New Zealand-Kermadec-Tonga	A30-A39, B30-B39	25
mega15 / NVSZ 28-37	New Britain-Solomons-Vanuatu	A28-A37, B28-B37	25
mega16 / MOSZ 1-10	ManusOCB	A1-A10, B1-B10	25
mega17 / NGSZ 3-12	North New Guinea	A3-A12, B3-B12	25
mega18 / EPSZ 6-15	East Philippines	A6-A15, B6-B15	25
mega19 / RNSZ 12-21	Ryukus-Kyushu-Nankai	A12-A21, B12-B21	25
mega20 / ACSZ 40-49	Aleutian-Alaska-Cascadia	A40-A49, B40-B49	25
micro / ACSZ B6	Aleutian-Alaska-Cascadia	B6	0.5
Mw7.5 / NTSZ B36	New Zealand-Kermadec-Tonga	B36	1

Table 3: Synthetic scenarios used to test the forecast model. Star indicates the events simulated with the reference model as well.

A Model *.in files for Sitka, AK

A.1 Forecast Model *.in file, to be used with MOST v.2

0.001	Minimum amp. of input offshore wave (m)
1.0	Minimum depth of offshore (m)
0.1	Dry land depth of inundation (m)
0.0009	Friction coefficient (n^{**2})
1	run up in a and b
300.0	max wave height meters
2.5	time step (sec)
14400	number of steps for 10 h simulation
2	Compute "A" arrays every n-th time step, n=
2	Compute "B" arrays every n-th time step, n=
12	Input number of steps between snapshots
0	...starting from
1	...saving grid every n-th node, n=

Table 4: Forecast Model parameter file for optimized 10-hour simulation with MOST v.2.

A.2 Reference and Forecast model parameters in individual grids, to be used with MOST v.4

	A ref	B ref	C ref	A opt	B opt	C opt
Min ampl. of input wave (m)	0.005	0.001	0.001	0.001	0.001	0.001
Min depth offshore (m)	1	1	1	1	1	1
Dry land depth (m)	0.1	0.1	0.1	0.1	0.1	0.1
Friction coef. (n^{**2})	0.0009	0.0009	0.0009	0.0009	0.0009	0.0009
number of grids	2	2	1	2	2	1
outer interp	4	2	2	2	2	2
inner interp	4	2	2	2	2	2
grids	A ref, B ref	B ref C ref	C ref	A opt, B opt	B opt, C opt	C opt
runup flag	1	1	2	1	1	2
time step (sec)	2.5	2.5	0.6	5.0	5.0	2.5
amount of steps	14,400	14,400	60,000	7,200	14,400	30,000
continue past input	0	0	0	0	0	0
steps between snapshots	20	12	50	6	6	12
saving inner bndr every n steps	2	1	1	1	1	1
saving every n-th node, n=	3	2	1	2	1	1
apply to bottom	0	0	0	0	0	0

Table 5: Parameters for reference and optimized 10-hour simulation with MOST v.4. Each grid has a specific set of the parameters.




Figure 1: Sitka, Alaska (denoted by the square). Courtesy of Google maps, image composition by David Burwell.




Figure 2: Rupture areas of large earthquakes and seismic activity in Southeast Alaska with locations determined by the Alaska Earthquake Information Center. The events with moment magnitude less than 5 are shown as dots, and color-coded according to depth. Courtesy of Elena Suleimani, University of Alaska, Fairbanks.



Figure 3: View of the Sitka tide gage, courtesy of NOAA/NOS, <http://tidesandcurrents.noaa.gov>.




Figure 4: Power spectrum of the gage background signal computed for a twelve day record in January 2-13, 2012. Inner plot: sample background signal (residual of tidal removal) at the gage.




Figure 5: Power spectrum of the signal of the Apr. 1, 1946 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.




Figure 6: Power spectrum of the signal of the Nov. 4, 1952 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time from 00:00 on Nov. 4, 1952.




Figure 7: Power spectrum of the signal of the Mar. 22, 1960 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time from 00:00 on Mar. 23, 1960.




Figure 8: Power spectrum of the signal of the Mar. 28, 1964 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.




Figure 9: Power spectrum of the signal of the Feb. 27, 2010 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.




Figure 10: Power spectrum of the signal of the Mar. 11, 2011 tsunami at Sitka. Inner plot: first 11 h (or as much as available) of the tsunami signal at the gage, time after the quake.




Figure 11: Coverage of the reference 20-s A grid (red contour), and 30-s optimized A grid (yellow contour). Red star marks the forecast area (Sitka sound).




Figure 12: Contours of reference B grid (red), optimized B grid (yellow) and C grid (green). Red star points tide gauge location. Colorscale - meters.




Figure 13: Reference C grid. Red triangle points tide gauge location, orange triangle - virtual gauge. Colorscale - meters.




Figure 14: Simulated time history of the March 9, 1957 tsunami at Sitka tide gage. Simulation was performed with the same (reference) set of B and C grids enclosed in either reference (red) or optimized (blue) A grid.




Figure 15: Simulated time history of the March 11, 2011 tsunami at Sitka tide gage. Simulation was performed with the same (reference) set of B and C grids enclosed in either reference (red) or optimized (blue) A grid.




Figure 16: Time histories at the gage computed directly with the optimized B grid (red), and further refined with the use of either optimized C grid at 3 arc-sec resolution (green dashed) or reference C grid with 2/3 arc-sec resolution (blue dashed). Simulation of the 2011 East Japan tsunami.




Figure 17: Epicenter locations of the events used with the model development. Black dots - synthetic events, red dots - historic events, green circle - forecast area.




Figure 18: Simulated time history (red) of the April 1, 1946 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model.




Figure 19: Simulated time history (red) of the March 28, 1964 tsunami at Sitka tide gage vs. detided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model.




Figure 20: Simulated time history (red) of the February 27, 2010 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model. Model is delayed 12 min.




Figure 21: Simulated time history (red) of the March 11, 2011 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model. Model is delayed 7 min.




Figure 22: Simulated time history (red) of the October 28, 2012 tsunami at Sitka tide gage vs. de-tided gage record (black); top pane - simulation with the Reference Model, bottom pane - with the Forecast Model. Model is advanced 6 min.




Figure 23: Time histories at the gage location, according to Forecast Model (blue) and Reference Model (red), in Mega events 1-10 (as numbered in the plots).




Figure 24: Time histories at the gage location, according to Forecast Model (blue) and Reference Model (red), in Mega events 11-20 (as numbered in the plots) and in Mw 7.5 event.




Figure 25: Time histories at the virtual gage on Japonski island, according to Forecast Model (blue) and Reference Model (red), in Mega events 1-10 (as numbered in the plots).




Figure 26: Time histories at the virtual gage on Japonski island, according to Forecast Model (blue) and Reference Model (red), in Mega events 11-20 (as numbered in the plots) and in Mw 7.5 event.




Figure 27: Maximum water elevation with respect to still sea level in Mega 3 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.




Figure 28: Maximum water elevation with respect to still sea level in Mega 4 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.




Figure 29: Maximum water elevation with respect to still sea level in Mega 7 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.




Figure 30: Maximum water elevation with respect to still sea level in Mega 8 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.




Figure 31: Maximum water elevation with respect to still sea level in Mega 9 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.




Figure 32: Maximum water elevation with respect to still sea level in Mega 14 event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.




Figure 33: Maximum water elevation with respect to still sea level in Mega 20 (local) event: top left - B grid, reference model, with contour of C-grid shown in black; top right - B grid, forecast model, with C-grid contour shown in black; bottom panes: left - C grid, reference model; right - C grid, forecast model. Cross - gage location. Shown contour of the original shoreline position. Colorscale: cm.



Figure 34: Sitka Harbor, Alaska in May 2002. Image from Wikimedia Commons. Photograph by Robert A. Estremo, copyright 2002 under Creative Commons Attribution-Share Alike 2.0 Generic license.

B Propagation Database: Pacific Ocean Unit Sources

Propagation source details reflect the database as of January 2010. There may have been updates in the earthquake source parameters after this date.




Figure 35: Aleutian–Alaska–Cascadia Subduction Zone unit sources.

Table 6: Earthquake parameters for Aleutian–Alaska–Cascadia Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
acsz-1a	Aleutian–Alaska–Cascadia	164.7994	55.9606	299	17	19.61
acsz-1b	Aleutian–Alaska–Cascadia	164.4310	55.5849	299	17	5
acsz-2a	Aleutian–Alaska–Cascadia	166.3418	55.4016	310.2	17	19.61
acsz-2b	Aleutian–Alaska–Cascadia	165.8578	55.0734	310.2	17	5
acsz-3a	Aleutian–Alaska–Cascadia	167.2939	54.8919	300.2	23.36	24.82
acsz-3b	Aleutian–Alaska–Cascadia	166.9362	54.5356	300.2	23.36	5
acsz-4a	Aleutian–Alaska–Cascadia	168.7131	54.2852	310.2	38.51	25.33
acsz-4b	Aleutian–Alaska–Cascadia	168.3269	54.0168	310.2	24	5
acsz-5a	Aleutian–Alaska–Cascadia	169.7447	53.7808	302.8	37.02	23.54
acsz-5b	Aleutian–Alaska–Cascadia	169.4185	53.4793	302.8	21.77	5
acsz-6a	Aleutian–Alaska–Cascadia	171.0144	53.3054	303.2	35.31	22.92
acsz-6b	Aleutian–Alaska–Cascadia	170.6813	52.9986	303.2	21	5
acsz-7a	Aleutian–Alaska–Cascadia	172.1500	52.8528	298.2	35.56	20.16
acsz-7b	Aleutian–Alaska–Cascadia	171.8665	52.5307	298.2	17.65	5
acsz-8a	Aleutian–Alaska–Cascadia	173.2726	52.4579	290.8	37.92	20.35
acsz-8b	Aleutian–Alaska–Cascadia	173.0681	52.1266	290.8	17.88	5
acsz-9a	Aleutian–Alaska–Cascadia	174.5866	52.1434	289	39.09	21.05
acsz-9b	Aleutian–Alaska–Cascadia	174.4027	51.8138	289	18.73	5
acsz-10a	Aleutian–Alaska–Cascadia	175.8784	51.8526	286.1	40.51	20.87
acsz-10b	Aleutian–Alaska–Cascadia	175.7265	51.5245	286.1	18.51	5
acsz-11a	Aleutian–Alaska–Cascadia	177.1140	51.6488	280	15	17.94
acsz-11b	Aleutian–Alaska–Cascadia	176.9937	51.2215	280	15	5
acsz-12a	Aleutian–Alaska–Cascadia	178.4500	51.5690	273	15	17.94
acsz-12b	Aleutian–Alaska–Cascadia	178.4130	51.1200	273	15	5
acsz-13a	Aleutian–Alaska–Cascadia	179.8550	51.5340	271	15	17.94
acsz-13b	Aleutian–Alaska–Cascadia	179.8420	51.0850	271	15	5
acsz-14a	Aleutian–Alaska–Cascadia	181.2340	51.5780	267	15	17.94
acsz-14b	Aleutian–Alaska–Cascadia	181.2720	51.1290	267	15	5
acsz-15a	Aleutian–Alaska–Cascadia	182.6380	51.6470	265	15	17.94
acsz-15b	Aleutian–Alaska–Cascadia	182.7000	51.2000	265	15	5
acsz-16a	Aleutian–Alaska–Cascadia	184.0550	51.7250	264	15	17.94
acsz-16b	Aleutian–Alaska–Cascadia	184.1280	51.2780	264	15	5
acsz-17a	Aleutian–Alaska–Cascadia	185.4560	51.8170	262	15	17.94
acsz-17b	Aleutian–Alaska–Cascadia	185.5560	51.3720	262	15	5
acsz-18a	Aleutian–Alaska–Cascadia	186.8680	51.9410	261	15	17.94
acsz-18b	Aleutian–Alaska–Cascadia	186.9810	51.4970	261	15	5
acsz-19a	Aleutian–Alaska–Cascadia	188.2430	52.1280	257	15	17.94
acsz-19b	Aleutian–Alaska–Cascadia	188.4060	51.6900	257	15	5
acsz-20a	Aleutian–Alaska–Cascadia	189.5810	52.3550	251	15	17.94
acsz-20b	Aleutian–Alaska–Cascadia	189.8180	51.9300	251	15	5
acsz-21a	Aleutian–Alaska–Cascadia	190.9570	52.6470	251	15	17.94
acsz-21b	Aleutian–Alaska–Cascadia	191.1960	52.2220	251	15	5
acsz-21z	Aleutian–Alaska–Cascadia	190.7399	53.0443	250.8	15	30.88
acsz-22a	Aleutian–Alaska–Cascadia	192.2940	52.9430	247	15	17.94
acsz-22b	Aleutian–Alaska–Cascadia	192.5820	52.5300	247	15	5
acsz-22z	Aleutian–Alaska–Cascadia	192.0074	53.3347	247.8	15	30.88
acsz-23a	Aleutian–Alaska–Cascadia	193.6270	53.3070	245	15	17.94
acsz-23b	Aleutian–Alaska–Cascadia	193.9410	52.9000	245	15	5
acsz-23z	Aleutian–Alaska–Cascadia	193.2991	53.6768	244.6	15	30.88
acsz-24a	Aleutian–Alaska–Cascadia	194.9740	53.6870	245	15	17.94
acsz-24b	Aleutian–Alaska–Cascadia	195.2910	53.2800	245	15	5
acsz-24y	Aleutian–Alaska–Cascadia	194.3645	54.4604	244.4	15	43.82
acsz-24z	Aleutian–Alaska–Cascadia	194.6793	54.0674	244.6	15	30.88
acsz-25a	Aleutian–Alaska–Cascadia	196.4340	54.0760	250	15	17.94
acsz-25b	Aleutian–Alaska–Cascadia	196.6930	53.6543	250	15	5
acsz-25y	Aleutian–Alaska–Cascadia	195.9009	54.8572	247.9	15	43.82
acsz-25z	Aleutian–Alaska–Cascadia	196.1761	54.4536	248.1	15	30.88
acsz-26a	Aleutian–Alaska–Cascadia	197.8970	54.3600	253	15	17.94
acsz-26b	Aleutian–Alaska–Cascadia	198.1200	53.9300	253	15	5
acsz-26y	Aleutian–Alaska–Cascadia	197.5498	55.1934	253.1	15	43.82
acsz-26z	Aleutian–Alaska–Cascadia	197.7620	54.7770	253.3	15	30.88
acsz-27a	Aleutian–Alaska–Cascadia	199.4340	54.5960	256	15	17.94
acsz-27b	Aleutian–Alaska–Cascadia	199.6200	54.1600	256	15	5
acsz-27x	Aleutian–Alaska–Cascadia	198.9736	55.8631	256.5	15	56.24

Continued on next page

Table 6 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
acsz-27y	Aleutian-Alaska-Cascadia	199.1454	55.4401	256.6	15	43.82
acsz-27z	Aleutian-Alaska-Cascadia	199.3135	55.0170	256.8	15	30.88
acsz-28a	Aleutian-Alaska-Cascadia	200.8820	54.8300	253	15	17.94
acsz-28b	Aleutian-Alaska-Cascadia	201.1080	54.4000	253	15	5
acsz-28x	Aleutian-Alaska-Cascadia	200.1929	56.0559	252.5	15	56.24
acsz-28y	Aleutian-Alaska-Cascadia	200.4167	55.6406	252.7	15	43.82
acsz-28z	Aleutian-Alaska-Cascadia	200.6360	55.2249	252.9	15	30.88
acsz-29a	Aleutian-Alaska-Cascadia	202.2610	55.1330	247	15	17.94
acsz-29b	Aleutian-Alaska-Cascadia	202.5650	54.7200	247	15	5
acsz-29x	Aleutian-Alaska-Cascadia	201.2606	56.2861	245.7	15	56.24
acsz-29y	Aleutian-Alaska-Cascadia	201.5733	55.8888	246	15	43.82
acsz-29z	Aleutian-Alaska-Cascadia	201.8797	55.4908	246.2	15	30.88
acsz-30a	Aleutian-Alaska-Cascadia	203.6040	55.5090	240	15	17.94
acsz-30b	Aleutian-Alaska-Cascadia	203.9970	55.1200	240	15	5
acsz-30w	Aleutian-Alaska-Cascadia	201.9901	56.9855	239.5	15	69.12
acsz-30x	Aleutian-Alaska-Cascadia	202.3851	56.6094	239.8	15	56.24
acsz-30y	Aleutian-Alaska-Cascadia	202.7724	56.2320	240.2	15	43.82
acsz-30z	Aleutian-Alaska-Cascadia	203.1521	55.8534	240.5	15	30.88
acsz-31a	Aleutian-Alaska-Cascadia	204.8950	55.9700	236	15	17.94
acsz-31b	Aleutian-Alaska-Cascadia	205.3400	55.5980	236	15	5
acsz-31w	Aleutian-Alaska-Cascadia	203.0825	57.3740	234.5	15	69.12
acsz-31x	Aleutian-Alaska-Cascadia	203.5408	57.0182	234.9	15	56.24
acsz-31y	Aleutian-Alaska-Cascadia	203.9904	56.6607	235.3	15	43.82
acsz-31z	Aleutian-Alaska-Cascadia	204.4315	56.3016	235.7	15	30.88
acsz-32a	Aleutian-Alaska-Cascadia	206.2080	56.4730	236	15	17.94
acsz-32b	Aleutian-Alaska-Cascadia	206.6580	56.1000	236	15	5
acsz-32w	Aleutian-Alaska-Cascadia	204.4129	57.8908	234.3	15	69.12
acsz-32x	Aleutian-Alaska-Cascadia	204.8802	57.5358	234.7	15	56.24
acsz-32y	Aleutian-Alaska-Cascadia	205.3385	57.1792	235.1	15	43.82
acsz-32z	Aleutian-Alaska-Cascadia	205.7880	56.8210	235.5	15	30.88
acsz-33a	Aleutian-Alaska-Cascadia	207.5370	56.9750	236	15	17.94
acsz-33b	Aleutian-Alaska-Cascadia	207.9930	56.6030	236	15	5
acsz-33w	Aleutian-Alaska-Cascadia	205.7126	58.3917	234.2	15	69.12
acsz-33x	Aleutian-Alaska-Cascadia	206.1873	58.0371	234.6	15	56.24
acsz-33y	Aleutian-Alaska-Cascadia	206.6527	57.6808	235	15	43.82
acsz-33z	Aleutian-Alaska-Cascadia	207.1091	57.3227	235.4	15	30.88
acsz-34a	Aleutian-Alaska-Cascadia	208.9371	57.5124	236	15	17.94
acsz-34b	Aleutian-Alaska-Cascadia	209.4000	57.1400	236	15	5
acsz-34w	Aleutian-Alaska-Cascadia	206.9772	58.8804	233.5	15	69.12
acsz-34x	Aleutian-Alaska-Cascadia	207.4677	58.5291	233.9	15	56.24
acsz-34y	Aleutian-Alaska-Cascadia	207.9485	58.1760	234.3	15	43.82
acsz-34z	Aleutian-Alaska-Cascadia	208.4198	57.8213	234.7	15	30.88
acsz-35a	Aleutian-Alaska-Cascadia	210.2597	58.0441	230	15	17.94
acsz-35b	Aleutian-Alaska-Cascadia	210.8000	57.7000	230	15	5
acsz-35w	Aleutian-Alaska-Cascadia	208.0204	59.3199	228.8	15	69.12
acsz-35x	Aleutian-Alaska-Cascadia	208.5715	58.9906	229.3	15	56.24
acsz-35y	Aleutian-Alaska-Cascadia	209.1122	58.6590	229.7	15	43.82
acsz-35z	Aleutian-Alaska-Cascadia	209.6425	58.3252	230.2	15	30.88
acsz-36a	Aleutian-Alaska-Cascadia	211.3249	58.6565	218	15	17.94
acsz-36b	Aleutian-Alaska-Cascadia	212.0000	58.3800	218	15	5
acsz-36w	Aleutian-Alaska-Cascadia	208.5003	59.5894	215.6	15	69.12
acsz-36x	Aleutian-Alaska-Cascadia	209.1909	59.3342	216.2	15	56.24
acsz-36y	Aleutian-Alaska-Cascadia	209.8711	59.0753	216.8	15	43.82
acsz-36z	Aleutian-Alaska-Cascadia	210.5412	58.8129	217.3	15	30.88
acsz-37a	Aleutian-Alaska-Cascadia	212.2505	59.2720	213.7	15	17.94
acsz-37b	Aleutian-Alaska-Cascadia	212.9519	59.0312	213.7	15	5
acsz-37x	Aleutian-Alaska-Cascadia	210.1726	60.0644	213	15	56.24
acsz-37y	Aleutian-Alaska-Cascadia	210.8955	59.8251	213.7	15	43.82
acsz-37z	Aleutian-Alaska-Cascadia	211.6079	59.5820	214.3	15	30.88
acsz-38a	Aleutian-Alaska-Cascadia	214.6555	60.1351	260.1	0	15
acsz-38b	Aleutian-Alaska-Cascadia	214.8088	59.6927	260.1	0	15
acsz-38y	Aleutian-Alaska-Cascadia	214.3737	60.9838	259	0	15
acsz-38z	Aleutian-Alaska-Cascadia	214.5362	60.5429	259	0	15
acsz-39a	Aleutian-Alaska-Cascadia	216.5607	60.2480	267	0	15
acsz-39b	Aleutian-Alaska-Cascadia	216.6068	59.7994	267	0	15
acsz-40a	Aleutian-Alaska-Cascadia	219.3069	59.7574	310.9	0	15

Continued on next page

Table 6 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
acsz-40b	Aleutian-Alaska-Cascadia	218.7288	59.4180	310.9	0	15
acsz-41a	Aleutian-Alaska-Cascadia	220.4832	59.3390	300.7	0	15
acsz-41b	Aleutian-Alaska-Cascadia	220.0382	58.9529	300.7	0	15
acsz-42a	Aleutian-Alaska-Cascadia	221.8835	58.9310	298.9	0	15
acsz-42b	Aleutian-Alaska-Cascadia	221.4671	58.5379	298.9	0	15
acsz-43a	Aleutian-Alaska-Cascadia	222.9711	58.6934	282.3	0	15
acsz-43b	Aleutian-Alaska-Cascadia	222.7887	58.2546	282.3	0	15
acsz-44a	Aleutian-Alaska-Cascadia	224.9379	57.9054	340.9	12	11.09
acsz-44b	Aleutian-Alaska-Cascadia	224.1596	57.7617	340.9	7	5
acsz-45a	Aleutian-Alaska-Cascadia	225.4994	57.1634	334.1	12	11.09
acsz-45b	Aleutian-Alaska-Cascadia	224.7740	56.9718	334.1	7	5
acsz-46a	Aleutian-Alaska-Cascadia	226.1459	56.3552	334.1	12	11.09
acsz-46b	Aleutian-Alaska-Cascadia	225.4358	56.1636	334.1	7	5
acsz-47a	Aleutian-Alaska-Cascadia	226.7731	55.5830	332.3	12	11.09
acsz-47b	Aleutian-Alaska-Cascadia	226.0887	55.3785	332.3	7	5
acsz-48a	Aleutian-Alaska-Cascadia	227.4799	54.6763	339.4	12	11.09
acsz-48b	Aleutian-Alaska-Cascadia	226.7713	54.5217	339.4	7	5
acsz-49a	Aleutian-Alaska-Cascadia	227.9482	53.8155	341.2	12	11.09
acsz-49b	Aleutian-Alaska-Cascadia	227.2462	53.6737	341.2	7	5
acsz-50a	Aleutian-Alaska-Cascadia	228.3970	53.2509	324.5	12	11.09
acsz-50b	Aleutian-Alaska-Cascadia	227.8027	52.9958	324.5	7	5
acsz-51a	Aleutian-Alaska-Cascadia	229.1844	52.6297	318.4	12	11.09
acsz-51b	Aleutian-Alaska-Cascadia	228.6470	52.3378	318.4	7	5
acsz-52a	Aleutian-Alaska-Cascadia	230.0306	52.0768	310.9	12	11.09
acsz-52b	Aleutian-Alaska-Cascadia	229.5665	51.7445	310.9	7	5
acsz-53a	Aleutian-Alaska-Cascadia	231.1735	51.5258	310.9	12	11.09
acsz-53b	Aleutian-Alaska-Cascadia	230.7150	51.1935	310.9	7	5
acsz-54a	Aleutian-Alaska-Cascadia	232.2453	50.8809	314.1	12	11.09
acsz-54b	Aleutian-Alaska-Cascadia	231.7639	50.5655	314.1	7	5
acsz-55a	Aleutian-Alaska-Cascadia	233.3066	49.9032	333.7	12	11.09
acsz-55b	Aleutian-Alaska-Cascadia	232.6975	49.7086	333.7	7	5
acsz-56a	Aleutian-Alaska-Cascadia	234.0588	49.1702	315	11	12.82
acsz-56b	Aleutian-Alaska-Cascadia	233.5849	48.8584	315	9	5
acsz-57a	Aleutian-Alaska-Cascadia	234.9041	48.2596	341	11	12.82
acsz-57b	Aleutian-Alaska-Cascadia	234.2797	48.1161	341	9	5
acsz-58a	Aleutian-Alaska-Cascadia	235.3021	47.3812	344	11	12.82
acsz-58b	Aleutian-Alaska-Cascadia	234.6776	47.2597	344	9	5
acsz-59a	Aleutian-Alaska-Cascadia	235.6432	46.5082	345	11	12.82
acsz-59b	Aleutian-Alaska-Cascadia	235.0257	46.3941	345	9	5
acsz-60a	Aleutian-Alaska-Cascadia	235.8640	45.5429	356	11	12.82
acsz-60b	Aleutian-Alaska-Cascadia	235.2363	45.5121	356	9	5
acsz-61a	Aleutian-Alaska-Cascadia	235.9106	44.6227	359	11	12.82
acsz-61b	Aleutian-Alaska-Cascadia	235.2913	44.6150	359	9	5
acsz-62a	Aleutian-Alaska-Cascadia	235.9229	43.7245	359	11	12.82
acsz-62b	Aleutian-Alaska-Cascadia	235.3130	43.7168	359	9	5
acsz-63a	Aleutian-Alaska-Cascadia	236.0220	42.9020	350	11	12.82
acsz-63b	Aleutian-Alaska-Cascadia	235.4300	42.8254	350	9	5
acsz-64a	Aleutian-Alaska-Cascadia	235.9638	41.9818	345	11	12.82
acsz-64b	Aleutian-Alaska-Cascadia	235.3919	41.8677	345	9	5
acsz-65a	Aleutian-Alaska-Cascadia	236.2643	41.1141	345	11	12.82
acsz-65b	Aleutian-Alaska-Cascadia	235.7000	41.0000	345	9	5
acsz-238a	Aleutian-Alaska-Cascadia	213.2878	59.8406	236.8	15	17.94
acsz-238y	Aleutian-Alaska-Cascadia	212.3424	60.5664	236.8	15	43.82
acsz-238z	Aleutian-Alaska-Cascadia	212.8119	60.2035	236.8	15	30.88




Figure 36: Central and South America Subduction Zone unit sources.

Table 7: Earthquake parameters for Central and South America Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
cssz-1a	Central and South America	254.4573	20.8170	359	19	15.4
cssz-1b	Central and South America	254.0035	20.8094	359	12	5
cssz-1z	Central and South America	254.7664	20.8222	359	50	31.67
cssz-2a	Central and South America	254.5765	20.2806	336.8	19	15.4
cssz-2b	Central and South America	254.1607	20.1130	336.8	12	5
cssz-3a	Central and South America	254.8789	19.8923	310.6	18.31	15.27
cssz-3b	Central and South America	254.5841	19.5685	310.6	11.85	5
cssz-4a	Central and South America	255.6167	19.2649	313.4	17.62	15.12
cssz-4b	Central and South America	255.3056	18.9537	313.4	11.68	5
cssz-5a	Central and South America	256.2240	18.8148	302.7	16.92	15
cssz-5b	Central and South America	255.9790	18.4532	302.7	11.54	5
cssz-6a	Central and South America	256.9425	18.4383	295.1	16.23	14.87
cssz-6b	Central and South America	256.7495	18.0479	295.1	11.38	5
cssz-7a	Central and South America	257.8137	18.0339	296.9	15.54	14.74
cssz-7b	Central and South America	257.6079	17.6480	296.9	11.23	5
cssz-8a	Central and South America	258.5779	17.7151	290.4	14.85	14.61
cssz-8b	Central and South America	258.4191	17.3082	290.4	11.08	5
cssz-9a	Central and South America	259.4578	17.4024	290.5	14.15	14.47
cssz-9b	Central and South America	259.2983	16.9944	290.5	10.92	5
cssz-10a	Central and South America	260.3385	17.0861	290.8	13.46	14.34
cssz-10b	Central and South America	260.1768	16.6776	290.8	10.77	5
cssz-11a	Central and South America	261.2255	16.7554	291.8	12.77	14.21
cssz-11b	Central and South America	261.0556	16.3487	291.8	10.62	5
cssz-12a	Central and South America	262.0561	16.4603	288.9	12.08	14.08
cssz-12b	Central and South America	261.9082	16.0447	288.9	10.46	5
cssz-13a	Central and South America	262.8638	16.2381	283.2	11.38	13.95
cssz-13b	Central and South America	262.7593	15.8094	283.2	10.31	5
cssz-14a	Central and South America	263.6066	16.1435	272.1	10.69	13.81
cssz-14b	Central and South America	263.5901	15.7024	272.1	10.15	5
cssz-15a	Central and South America	264.8259	15.8829	293	10	13.68
cssz-15b	Central and South America	264.6462	15.4758	293	10	5
cssz-15y	Central and South America	265.1865	16.6971	293	10	31.05
cssz-15z	Central and South America	265.0060	16.2900	293	10	22.36
cssz-16a	Central and South America	265.7928	15.3507	304.9	15	15.82
cssz-16b	Central and South America	265.5353	14.9951	304.9	12.5	5
cssz-16y	Central and South America	266.3092	16.0619	304.9	15	41.7
cssz-16z	Central and South America	266.0508	15.7063	304.9	15	28.76
cssz-17a	Central and South America	266.4947	14.9019	299.5	20	17.94
cssz-17b	Central and South America	266.2797	14.5346	299.5	15	5
cssz-17y	Central and South America	266.9259	15.6365	299.5	20	52.14
cssz-17z	Central and South America	266.7101	15.2692	299.5	20	35.04
cssz-18a	Central and South America	267.2827	14.4768	298	21.5	17.94
cssz-18b	Central and South America	267.0802	14.1078	298	15	5
cssz-18y	Central and South America	267.6888	15.2148	298	21.5	54.59
cssz-18z	Central and South America	267.4856	14.8458	298	21.5	36.27
cssz-19a	Central and South America	268.0919	14.0560	297.6	23	17.94
cssz-19b	Central and South America	267.8943	13.6897	297.6	15	5
cssz-19y	Central and South America	268.4880	14.7886	297.6	23	57.01
cssz-19z	Central and South America	268.2898	14.4223	297.6	23	37.48
cssz-20a	Central and South America	268.8929	13.6558	296.2	24	17.94
cssz-20b	Central and South America	268.7064	13.2877	296.2	15	5
cssz-20y	Central and South America	269.1796	14.2206	296.2	45.5	73.94
cssz-20z	Central and South America	269.0362	13.9382	296.2	45.5	38.28
cssz-21a	Central and South America	269.6797	13.3031	292.6	25	17.94
cssz-21b	Central and South America	269.5187	12.9274	292.6	15	5
cssz-21x	Central and South America	269.8797	13.7690	292.6	68	131.8
cssz-21y	Central and South America	269.8130	13.6137	292.6	68	85.43
cssz-21z	Central and South America	269.7463	13.4584	292.6	68	39.07
cssz-22a	Central and South America	270.4823	13.0079	288.6	25	17.94
cssz-22b	Central and South America	270.3492	12.6221	288.6	15	5
cssz-22x	Central and South America	270.6476	13.4864	288.6	68	131.8
cssz-22y	Central and South America	270.5925	13.3269	288.6	68	85.43
cssz-22z	Central and South America	270.5374	13.1674	288.6	68	39.07
cssz-23a	Central and South America	271.3961	12.6734	292.4	25	17.94

Continued on next page

Table 7 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
cssz-23b	Central and South America	271.2369	12.2972	292.4	15	5
cssz-23x	Central and South America	271.5938	13.1399	292.4	68	131.8
cssz-23y	Central and South America	271.5279	12.9844	292.4	68	85.43
cssz-23z	Central and South America	271.4620	12.8289	292.4	68	39.07
cssz-24a	Central and South America	272.3203	12.2251	300.2	25	17.94
cssz-24b	Central and South America	272.1107	11.8734	300.2	15	5
cssz-24x	Central and South America	272.5917	12.6799	300.2	67	131.1
cssz-24y	Central and South America	272.5012	12.5283	300.2	67	85.1
cssz-24z	Central and South America	272.4107	12.3767	300.2	67	39.07
cssz-25a	Central and South America	273.2075	11.5684	313.8	25	17.94
cssz-25b	Central and South America	272.9200	11.2746	313.8	15	5
cssz-25x	Central and South America	273.5950	11.9641	313.8	66	130.4
cssz-25y	Central and South America	273.4658	11.8322	313.8	66	84.75
cssz-25z	Central and South America	273.3366	11.7003	313.8	66	39.07
cssz-26a	Central and South America	273.8943	10.8402	320.4	25	17.94
cssz-26b	Central and South America	273.5750	10.5808	320.4	15	5
cssz-26x	Central and South America	274.3246	11.1894	320.4	66	130.4
cssz-26y	Central and South America	274.1811	11.0730	320.4	66	84.75
cssz-26z	Central and South America	274.0377	10.9566	320.4	66	39.07
cssz-27a	Central and South America	274.4569	10.2177	316.1	25	17.94
cssz-27b	Central and South America	274.1590	9.9354	316.1	15	5
cssz-27z	Central and South America	274.5907	10.3444	316.1	66	39.07
cssz-28a	Central and South America	274.9586	9.8695	297.1	22	14.54
cssz-28b	Central and South America	274.7661	9.4988	297.1	11	5
cssz-28z	Central and South America	275.1118	10.1643	297.1	42.5	33.27
cssz-29a	Central and South America	275.7686	9.4789	296.6	19	11.09
cssz-29b	Central and South America	275.5759	9.0992	296.6	7	5
cssz-30a	Central and South America	276.6346	8.9973	302.2	19	9.36
cssz-30b	Central and South America	276.4053	8.6381	302.2	5	5
cssz-31a	Central and South America	277.4554	8.4152	309.1	19	7.62
cssz-31b	Central and South America	277.1851	8.0854	309.1	3	5
cssz-31z	Central and South America	277.7260	8.7450	309.1	19	23.9
cssz-32a	Central and South America	278.1112	7.9425	303	18.67	8.49
cssz-32b	Central and South America	277.8775	7.5855	303	4	5
cssz-32z	Central and South America	278.3407	8.2927	303	21.67	24.49
cssz-33a	Central and South America	278.7082	7.6620	287.6	18.33	10.23
cssz-33b	Central and South America	278.5785	7.2555	287.6	6	5
cssz-33z	Central and South America	278.8328	8.0522	287.6	24.33	25.95
cssz-34a	Central and South America	279.3184	7.5592	269.5	18	17.94
cssz-34b	Central and South America	279.3223	7.1320	269.5	15	5
cssz-35a	Central and South America	280.0039	7.6543	255.9	17.67	14.54
cssz-35b	Central and South America	280.1090	7.2392	255.9	11	5
cssz-35x	Central and South America	279.7156	8.7898	255.9	29.67	79.22
cssz-35y	Central and South America	279.8118	8.4113	255.9	29.67	54.47
cssz-35z	Central and South America	279.9079	8.0328	255.9	29.67	29.72
cssz-36a	Central and South America	281.2882	7.6778	282.5	17.33	11.09
cssz-36b	Central and South America	281.1948	7.2592	282.5	7	5
cssz-36x	Central and South America	281.5368	8.7896	282.5	32.33	79.47
cssz-36y	Central and South America	281.4539	8.4190	282.5	32.33	52.73
cssz-36z	Central and South America	281.3710	8.0484	282.5	32.33	25.99
cssz-37a	Central and South America	282.5252	6.8289	326.9	17	10.23
cssz-37b	Central and South America	282.1629	6.5944	326.9	6	5
cssz-38a	Central and South America	282.9469	5.5973	355.4	17	10.23
cssz-38b	Central and South America	282.5167	5.5626	355.4	6	5
cssz-39a	Central and South America	282.7236	4.3108	24.13	17	10.23
cssz-39b	Central and South America	282.3305	4.4864	24.13	6	5
cssz-39z	Central and South America	283.0603	4.1604	24.13	35	24.85
cssz-40a	Central and South America	282.1940	3.3863	35.28	17	10.23
cssz-40b	Central and South America	281.8427	3.6344	35.28	6	5
cssz-40y	Central and South America	282.7956	2.9613	35.28	35	53.52
cssz-40z	Central and South America	282.4948	3.1738	35.28	35	24.85
cssz-41a	Central and South America	281.6890	2.6611	34.27	17	10.23
cssz-41b	Central and South America	281.3336	2.9030	34.27	6	5
cssz-41z	Central and South America	281.9933	2.4539	34.27	35	24.85
cssz-42a	Central and South America	281.2266	1.9444	31.29	17	10.23
cssz-42b	Central and South America	280.8593	2.1675	31.29	6	5

Continued on next page

Table 7 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
cssz-42z	Central and South America	281.5411	1.7533	31.29	35	24.85
cssz-43a	Central and South America	280.7297	1.1593	33.3	17	10.23
cssz-43b	Central and South America	280.3706	1.3951	33.3	6	5
cssz-43z	Central and South America	281.0373	0.9573	33.3	35	24.85
cssz-44a	Central and South America	280.3018	0.4491	28.8	17	10.23
cssz-44b	Central and South America	279.9254	0.6560	28.8	6	5
cssz-45a	Central and South America	279.9083	-0.3259	26.91	10	8.49
cssz-45b	Central and South America	279.5139	-0.1257	26.91	4	5
cssz-46a	Central and South America	279.6461	-0.9975	15.76	10	8.49
cssz-46b	Central and South America	279.2203	-0.8774	15.76	4	5
cssz-47a	Central and South America	279.4972	-1.7407	6.9	10	8.49
cssz-47b	Central and South America	279.0579	-1.6876	6.9	4	5
cssz-48a	Central and South America	279.3695	-2.6622	8.96	10	8.49
cssz-48b	Central and South America	278.9321	-2.5933	8.96	4	5
cssz-48y	Central and South America	280.2444	-2.8000	8.96	10	25.85
cssz-48z	Central and South America	279.8070	-2.7311	8.96	10	17.17
cssz-49a	Central and South America	279.1852	-3.6070	13.15	10	8.49
cssz-49b	Central and South America	278.7536	-3.5064	13.15	4	5
cssz-49y	Central and South America	280.0486	-3.8082	13.15	10	25.85
cssz-49z	Central and South America	279.6169	-3.7076	13.15	10	17.17
cssz-50a	Central and South America	279.0652	-4.3635	4.78	10.33	9.64
cssz-50b	Central and South America	278.6235	-4.3267	4.78	5.33	5
cssz-51a	Central and South America	279.0349	-5.1773	359.4	10.67	10.81
cssz-51b	Central and South America	278.5915	-5.1817	359.4	6.67	5
cssz-52a	Central and South America	279.1047	-5.9196	349.8	11	11.96
cssz-52b	Central and South America	278.6685	-5.9981	349.8	8	5
cssz-53a	Central and South America	279.3044	-6.6242	339.2	10.25	11.74
cssz-53b	Central and South America	278.8884	-6.7811	339.2	7.75	5
cssz-53y	Central and South America	280.1024	-6.3232	339.2	19.25	37.12
cssz-53z	Central and South America	279.7035	-6.4737	339.2	19.25	20.64
cssz-54a	Central and South America	279.6256	-7.4907	340.8	9.5	11.53
cssz-54b	Central and South America	279.2036	-7.6365	340.8	7.5	5
cssz-54y	Central and South America	280.4267	-7.2137	340.8	20.5	37.29
cssz-54z	Central and South America	280.0262	-7.3522	340.8	20.5	19.78
cssz-55a	Central and South America	279.9348	-8.2452	335.4	8.75	11.74
cssz-55b	Central and South America	279.5269	-8.4301	335.4	7.75	5
cssz-55x	Central and South America	281.0837	-7.7238	335.4	21.75	56.4
cssz-55y	Central and South America	280.7009	-7.8976	335.4	21.75	37.88
cssz-55z	Central and South America	280.3180	-8.0714	335.4	21.75	19.35
cssz-56a	Central and South America	280.3172	-8.9958	331.6	8	11.09
cssz-56b	Central and South America	279.9209	-9.2072	331.6	7	5
cssz-56x	Central and South America	281.4212	-8.4063	331.6	23	57.13
cssz-56y	Central and South America	281.0534	-8.6028	331.6	23	37.59
cssz-56z	Central and South America	280.6854	-8.7993	331.6	23	18.05
cssz-57a	Central and South America	280.7492	-9.7356	328.7	8.6	10.75
cssz-57b	Central and South America	280.3640	-9.9663	328.7	6.6	5
cssz-57x	Central and South America	281.8205	-9.0933	328.7	23.4	57.94
cssz-57y	Central and South America	281.4636	-9.3074	328.7	23.4	38.08
cssz-57z	Central and South America	281.1065	-9.5215	328.7	23.4	18.22
cssz-58a	Central and South America	281.2275	-10.5350	330.5	9.2	10.4
cssz-58b	Central and South America	280.8348	-10.7532	330.5	6.2	5
cssz-58y	Central and South America	281.9548	-10.1306	330.5	23.8	38.57
cssz-58z	Central and South America	281.5913	-10.3328	330.5	23.8	18.39
cssz-59a	Central and South America	281.6735	-11.2430	326.2	9.8	10.05
cssz-59b	Central and South America	281.2982	-11.4890	326.2	5.8	5
cssz-59y	Central and South America	282.3675	-10.7876	326.2	24.2	39.06
cssz-59z	Central and South America	282.0206	-11.0153	326.2	24.2	18.56
cssz-60a	Central and South America	282.1864	-11.9946	326.5	10.4	9.71
cssz-60b	Central and South America	281.8096	-12.2384	326.5	5.4	5
cssz-60y	Central and South America	282.8821	-11.5438	326.5	24.6	39.55
cssz-60z	Central and South America	282.5344	-11.7692	326.5	24.6	18.73
cssz-61a	Central and South America	282.6944	-12.7263	325.5	11	9.36
cssz-61b	Central and South America	282.3218	-12.9762	325.5	5	5
cssz-61y	Central and South America	283.3814	-12.2649	325.5	25	40.03
cssz-61z	Central and South America	283.0381	-12.4956	325.5	25	18.9
cssz-62a	Central and South America	283.1980	-13.3556	319	11	9.79

Continued on next page

Table 7 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
cssz-62b	Central and South America	282.8560	-13.6451	319	5.5	5
cssz-62y	Central and South America	283.8178	-12.8300	319	27	42.03
cssz-62z	Central and South America	283.5081	-13.0928	319	27	19.33
cssz-63a	Central and South America	283.8032	-14.0147	317.9	11	10.23
cssz-63b	Central and South America	283.4661	-14.3106	317.9	6	5
cssz-63z	Central and South America	284.1032	-13.7511	317.9	29	19.77
cssz-64a	Central and South America	284.4144	-14.6482	315.7	13	11.96
cssz-64b	Central and South America	284.0905	-14.9540	315.7	8	5
cssz-65a	Central and South America	285.0493	-15.2554	313.2	15	13.68
cssz-65b	Central and South America	284.7411	-15.5715	313.2	10	5
cssz-66a	Central and South America	285.6954	-15.7816	307.7	14.5	13.68
cssz-66b	Central and South America	285.4190	-16.1258	307.7	10	5
cssz-67a	Central and South America	286.4127	-16.2781	304.3	14	13.68
cssz-67b	Central and South America	286.1566	-16.6381	304.3	10	5
cssz-67z	Central and South America	286.6552	-15.9365	304.3	23	25.78
cssz-68a	Central and South America	287.2481	-16.9016	311.8	14	13.68
cssz-68b	Central and South America	286.9442	-17.2264	311.8	10	5
cssz-68z	Central and South America	287.5291	-16.6007	311.8	26	25.78
cssz-69a	Central and South America	287.9724	-17.5502	314.9	14	13.68
cssz-69b	Central and South America	287.6496	-17.8590	314.9	10	5
cssz-69y	Central and South America	288.5530	-16.9934	314.9	29	50.02
cssz-69z	Central and South America	288.2629	-17.2718	314.9	29	25.78
cssz-70a	Central and South America	288.6731	-18.2747	320.4	14	13.25
cssz-70b	Central and South America	288.3193	-18.5527	320.4	9.5	5
cssz-70y	Central and South America	289.3032	-17.7785	320.4	30	50.35
cssz-70z	Central and South America	288.9884	-18.0266	320.4	30	25.35
cssz-71a	Central and South America	289.3089	-19.1854	333.2	14	12.82
cssz-71b	Central and South America	288.8968	-19.3820	333.2	9	5
cssz-71y	Central and South America	290.0357	-18.8382	333.2	31	50.67
cssz-71z	Central and South America	289.6725	-19.0118	333.2	31	24.92
cssz-72a	Central and South America	289.6857	-20.3117	352.4	14	12.54
cssz-72b	Central and South America	289.2250	-20.3694	352.4	8.67	5
cssz-72z	Central and South America	290.0882	-20.2613	352.4	32	24.63
cssz-73a	Central and South America	289.7731	-21.3061	358.9	14	12.24
cssz-73b	Central and South America	289.3053	-21.3142	358.9	8.33	5
cssz-73z	Central and South America	290.1768	-21.2991	358.9	33	24.34
cssz-74a	Central and South America	289.7610	-22.2671	3.06	14	11.96
cssz-74b	Central and South America	289.2909	-22.2438	3.06	8	5
cssz-75a	Central and South America	289.6982	-23.1903	4.83	14.09	11.96
cssz-75b	Central and South America	289.2261	-23.1536	4.83	8	5
cssz-76a	Central and South America	289.6237	-24.0831	4.67	14.18	11.96
cssz-76b	Central and South America	289.1484	-24.0476	4.67	8	5
cssz-77a	Central and South America	289.5538	-24.9729	4.3	14.27	11.96
cssz-77b	Central and South America	289.0750	-24.9403	4.3	8	5
cssz-78a	Central and South America	289.4904	-25.8621	3.86	14.36	11.96
cssz-78b	Central and South America	289.0081	-25.8328	3.86	8	5
cssz-79a	Central and South America	289.3491	-26.8644	11.34	14.45	11.96
cssz-79b	Central and South America	288.8712	-26.7789	11.34	8	5
cssz-80a	Central and South America	289.1231	-27.7826	14.16	14.54	11.96
cssz-80b	Central and South America	288.6469	-27.6762	14.16	8	5
cssz-81a	Central and South America	288.8943	-28.6409	13.19	14.63	11.96
cssz-81b	Central and South America	288.4124	-28.5417	13.19	8	5
cssz-82a	Central and South America	288.7113	-29.4680	9.68	14.72	11.96
cssz-82b	Central and South America	288.2196	-29.3950	9.68	8	5
cssz-83a	Central and South America	288.5944	-30.2923	5.36	14.81	11.96
cssz-83b	Central and South America	288.0938	-30.2517	5.36	8	5
cssz-84a	Central and South America	288.5223	-31.1639	3.8	14.9	11.96
cssz-84b	Central and South America	288.0163	-31.1351	3.8	8	5
cssz-85a	Central and South America	288.4748	-32.0416	2.55	15	11.96
cssz-85b	Central and South America	287.9635	-32.0223	2.55	8	5
cssz-86a	Central and South America	288.3901	-33.0041	7.01	15	11.96
cssz-86b	Central and South America	287.8768	-32.9512	7.01	8	5
cssz-87a	Central and South America	288.1050	-34.0583	19.4	15	11.96
cssz-87b	Central and South America	287.6115	-33.9142	19.4	8	5
cssz-88a	Central and South America	287.5309	-35.0437	32.81	15	11.96
cssz-88b	Central and South America	287.0862	-34.8086	32.81	8	5

Continued on next page

Table 7 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
cssz-88z	Central and South America	287.9308	-35.2545	32.81	30	24.9
cssz-89a	Central and South America	287.2380	-35.5993	14.52	16.67	11.96
cssz-89b	Central and South America	286.7261	-35.4914	14.52	8	5
cssz-89z	Central and South America	287.7014	-35.6968	14.52	30	26.3
cssz-90a	Central and South America	286.8442	-36.5645	22.64	18.33	11.96
cssz-90b	Central and South America	286.3548	-36.4004	22.64	8	5
cssz-90z	Central and South America	287.2916	-36.7142	22.64	30	27.68
cssz-91a	Central and South America	286.5925	-37.2488	10.9	20	11.96
cssz-91b	Central and South America	286.0721	-37.1690	10.9	8	5
cssz-91z	Central and South America	287.0726	-37.3224	10.9	30	29.06
cssz-92a	Central and South America	286.4254	-38.0945	8.23	20	11.96
cssz-92b	Central and South America	285.8948	-38.0341	8.23	8	5
cssz-92z	Central and South America	286.9303	-38.1520	8.23	26.67	29.06
cssz-93a	Central and South America	286.2047	-39.0535	13.46	20	11.96
cssz-93b	Central and South America	285.6765	-38.9553	13.46	8	5
cssz-93z	Central and South America	286.7216	-39.1495	13.46	23.33	29.06
cssz-94a	Central and South America	286.0772	-39.7883	3.4	20	11.96
cssz-94b	Central and South America	285.5290	-39.7633	3.4	8	5
cssz-94z	Central and South America	286.6255	-39.8133	3.4	20	29.06
cssz-95a	Central and South America	285.9426	-40.7760	9.84	20	11.96
cssz-95b	Central and South America	285.3937	-40.7039	9.84	8	5
cssz-95z	Central and South America	286.4921	-40.8481	9.84	20	29.06
cssz-96a	Central and South America	285.7839	-41.6303	7.6	20	11.96
cssz-96b	Central and South America	285.2245	-41.5745	7.6	8	5
cssz-96x	Central and South America	287.4652	-41.7977	7.6	20	63.26
cssz-96y	Central and South America	286.9043	-41.7419	7.6	20	46.16
cssz-96z	Central and South America	286.3439	-41.6861	7.6	20	29.06
cssz-97a	Central and South America	285.6695	-42.4882	5.3	20	11.96
cssz-97b	Central and South America	285.0998	-42.4492	5.3	8	5
cssz-97x	Central and South America	287.3809	-42.6052	5.3	20	63.26
cssz-97y	Central and South America	286.8101	-42.5662	5.3	20	46.16
cssz-97z	Central and South America	286.2396	-42.5272	5.3	20	29.06
cssz-98a	Central and South America	285.5035	-43.4553	10.53	20	11.96
cssz-98b	Central and South America	284.9322	-43.3782	10.53	8	5
cssz-98x	Central and South America	287.2218	-43.6866	10.53	20	63.26
cssz-98y	Central and South America	286.6483	-43.6095	10.53	20	46.16
cssz-98z	Central and South America	286.0755	-43.5324	10.53	20	29.06
cssz-99a	Central and South America	285.3700	-44.2595	4.86	20	11.96
cssz-99b	Central and South America	284.7830	-44.2237	4.86	8	5
cssz-99x	Central and South America	287.1332	-44.3669	4.86	20	63.26
cssz-99y	Central and South America	286.5451	-44.3311	4.86	20	46.16
cssz-99z	Central and South America	285.9574	-44.2953	4.86	20	29.06
cssz-100a	Central and South America	285.2713	-45.1664	5.68	20	11.96
cssz-100b	Central and South America	284.6758	-45.1246	5.68	8	5
cssz-100x	Central and South America	287.0603	-45.2918	5.68	20	63.26
cssz-100y	Central and South America	286.4635	-45.2500	5.68	20	46.16
cssz-100z	Central and South America	285.8672	-45.2082	5.68	20	29.06
cssz-101a	Central and South America	285.3080	-45.8607	352.6	20	9.36
cssz-101b	Central and South America	284.7067	-45.9152	352.6	5	5
cssz-101y	Central and South America	286.5089	-45.7517	352.6	20	43.56
cssz-101z	Central and South America	285.9088	-45.8062	352.6	20	26.46
cssz-102a	Central and South America	285.2028	-47.1185	17.72	5	9.36
cssz-102b	Central and South America	284.5772	-46.9823	17.72	5	5
cssz-102y	Central and South America	286.4588	-47.3909	17.72	5	18.07
cssz-102z	Central and South America	285.8300	-47.2547	17.72	5	13.72
cssz-103a	Central and South America	284.7075	-48.0396	23.37	7.5	11.53
cssz-103b	Central and South America	284.0972	-47.8630	23.37	7.5	5
cssz-103x	Central and South America	286.5511	-48.5694	23.37	7.5	31.11
cssz-103y	Central and South America	285.9344	-48.3928	23.37	7.5	24.58
cssz-103z	Central and South America	285.3199	-48.2162	23.37	7.5	18.05
cssz-104a	Central and South America	284.3440	-48.7597	14.87	10	13.68
cssz-104b	Central and South America	283.6962	-48.6462	14.87	10	5
cssz-104x	Central and South America	286.2962	-49.1002	14.87	10	39.73
cssz-104y	Central and South America	285.6440	-48.9867	14.87	10	31.05
cssz-104z	Central and South America	284.9933	-48.8732	14.87	10	22.36
cssz-105a	Central and South America	284.2312	-49.4198	0.25	9.67	13.4

Continued on next page

Table 7 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
cssz-105b	Central and South America	283.5518	-49.4179	0.25	9.67	5
cssz-105x	Central and South America	286.2718	-49.4255	0.25	9.67	38.59
cssz-105y	Central and South America	285.5908	-49.4236	0.25	9.67	30.2
cssz-105z	Central and South America	284.9114	-49.4217	0.25	9.67	21.8
cssz-106a	Central and South America	284.3730	-50.1117	347.5	9.25	13.04
cssz-106b	Central and South America	283.6974	-50.2077	347.5	9.25	5
cssz-106x	Central and South America	286.3916	-49.8238	347.5	9.25	37.15
cssz-106y	Central and South America	285.7201	-49.9198	347.5	9.25	29.11
cssz-106z	Central and South America	285.0472	-50.0157	347.5	9.25	21.07
cssz-107a	Central and South America	284.7130	-50.9714	346.5	9	12.82
cssz-107b	Central and South America	284.0273	-51.0751	346.5	9	5
cssz-107x	Central and South America	286.7611	-50.6603	346.5	9	36.29
cssz-107y	Central and South America	286.0799	-50.7640	346.5	9	28.47
cssz-107z	Central and South America	285.3972	-50.8677	346.5	9	20.64
cssz-108a	Central and South America	285.0378	-51.9370	352	8.67	12.54
cssz-108b	Central and South America	284.3241	-51.9987	352	8.67	5
cssz-108x	Central and South America	287.1729	-51.7519	352	8.67	35.15
cssz-108y	Central and South America	286.4622	-51.8136	352	8.67	27.61
cssz-108z	Central and South America	285.7505	-51.8753	352	8.67	20.07
cssz-109a	Central and South America	285.2635	-52.8439	353.1	8.33	12.24
cssz-109b	Central and South America	284.5326	-52.8974	353.1	8.33	5
cssz-109x	Central and South America	287.4508	-52.6834	353.1	8.33	33.97
cssz-109y	Central and South America	286.7226	-52.7369	353.1	8.33	26.73
cssz-109z	Central and South America	285.9935	-52.7904	353.1	8.33	19.49
cssz-110a	Central and South America	285.5705	-53.4139	334.2	8	11.96
cssz-110b	Central and South America	284.8972	-53.6076	334.2	8	5
cssz-110x	Central and South America	287.5724	-52.8328	334.2	8	32.83
cssz-110y	Central and South America	286.9081	-53.0265	334.2	8	25.88
cssz-110z	Central and South America	286.2408	-53.2202	334.2	8	18.92
cssz-111a	Central and South America	286.1627	-53.8749	313.8	8	11.96
cssz-111b	Central and South America	285.6382	-54.1958	313.8	8	5
cssz-111x	Central and South America	287.7124	-52.9122	313.8	8	32.83
cssz-111y	Central and South America	287.1997	-53.2331	313.8	8	25.88
cssz-111z	Central and South America	286.6832	-53.5540	313.8	8	18.92
cssz-112a	Central and South America	287.3287	-54.5394	316.4	8	11.96
cssz-112b	Central and South America	286.7715	-54.8462	316.4	8	5
cssz-112x	Central and South America	288.9756	-53.6190	316.4	8	32.83
cssz-112y	Central and South America	288.4307	-53.9258	316.4	8	25.88
cssz-112z	Central and South America	287.8817	-54.2326	316.4	8	18.92
cssz-113a	Central and South America	288.3409	-55.0480	307.6	8	11.96
cssz-113b	Central and South America	287.8647	-55.4002	307.6	8	5
cssz-113x	Central and South America	289.7450	-53.9914	307.6	8	32.83
cssz-113y	Central and South America	289.2810	-54.3436	307.6	8	25.88
cssz-113z	Central and South America	288.8130	-54.6958	307.6	8	18.92
cssz-114a	Central and South America	289.5342	-55.5026	301.5	8	11.96
cssz-114b	Central and South America	289.1221	-55.8819	301.5	8	5
cssz-114x	Central and South America	290.7472	-54.3647	301.5	8	32.83
cssz-114y	Central and South America	290.3467	-54.7440	301.5	8	25.88
cssz-114z	Central and South America	289.9424	-55.1233	301.5	8	18.92
cssz-115a	Central and South America	290.7682	-55.8485	292.7	8	11.96
cssz-115b	Central and South America	290.4608	-56.2588	292.7	8	5
cssz-115x	Central and South America	291.6714	-54.6176	292.7	8	32.83
cssz-115y	Central and South America	291.3734	-55.0279	292.7	8	25.88
cssz-115z	Central and South America	291.0724	-55.4382	292.7	8	18.92




Figure 37: Eastern Philippines Subduction Zone unit sources.

Table 8: Earthquake parameters for Eastern Philippines Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
epsz-0a	Eastern Philippines	128.5264	1.5930	180	44	26.92
epsz-0b	Eastern Philippines	128.8496	1.5930	180	26	5
epsz-1a	Eastern Philippines	128.5521	2.3289	153.6	44.2	27.62
epsz-1b	Eastern Philippines	128.8408	2.4720	153.6	26.9	5
epsz-2a	Eastern Philippines	128.1943	3.1508	151.9	45.9	32.44
epsz-2b	Eastern Philippines	128.4706	3.2979	151.9	32.8	5.35
epsz-3a	Eastern Philippines	127.8899	4.0428	155.2	57.3	40.22
epsz-3b	Eastern Philippines	128.1108	4.1445	155.2	42.7	6.31
epsz-4a	Eastern Philippines	127.6120	4.8371	146.8	71.4	48.25
epsz-4b	Eastern Philippines	127.7324	4.9155	146.8	54.8	7.39
epsz-5a	Eastern Philippines	127.3173	5.7040	162.9	79.9	57.4
epsz-5b	Eastern Philippines	127.3930	5.7272	162.9	79.4	8.25
epsz-6a	Eastern Philippines	126.6488	6.6027	178.9	48.6	45.09
epsz-6b	Eastern Philippines	126.9478	6.6085	178.9	48.6	7.58
epsz-7a	Eastern Philippines	126.6578	7.4711	175.8	50.7	45.52
epsz-7b	Eastern Philippines	126.9439	7.4921	175.8	50.7	6.83
epsz-8a	Eastern Philippines	126.6227	8.2456	163.3	56.7	45.6
epsz-8b	Eastern Philippines	126.8614	8.3164	163.3	48.9	7.92
epsz-9a	Eastern Philippines	126.2751	9.0961	164.1	47	43.59
epsz-9b	Eastern Philippines	126.5735	9.1801	164.1	44.9	8.3
epsz-10a	Eastern Philippines	125.9798	9.9559	164.5	43.1	42.25
epsz-10b	Eastern Philippines	126.3007	10.0438	164.5	43.1	8.09
epsz-11a	Eastern Philippines	125.6079	10.6557	155	37.8	38.29
epsz-11b	Eastern Philippines	125.9353	10.8059	155	37.8	7.64
epsz-12a	Eastern Philippines	125.4697	11.7452	172.1	36	37.01
epsz-12b	Eastern Philippines	125.8374	11.7949	172.1	36	7.62
epsz-13a	Eastern Philippines	125.2238	12.1670	141.5	32.4	33.87
epsz-13b	Eastern Philippines	125.5278	12.4029	141.5	32.4	7.08
epsz-14a	Eastern Philippines	124.6476	13.1365	158.2	23	25.92
epsz-14b	Eastern Philippines	125.0421	13.2898	158.2	23	6.38
epsz-15a	Eastern Philippines	124.3107	13.9453	156.1	24.1	26.51
epsz-15b	Eastern Philippines	124.6973	14.1113	156.1	24.1	6.09
epsz-16a	Eastern Philippines	123.8998	14.4025	140.3	19.5	21.69
epsz-16b	Eastern Philippines	124.2366	14.6728	140.3	19.5	5
epsz-17a	Eastern Philippines	123.4604	14.7222	117.6	15.3	18.19
epsz-17b	Eastern Philippines	123.6682	15.1062	117.6	15.3	5
epsz-18a	Eastern Philippines	123.3946	14.7462	67.4	15	17.94
epsz-18b	Eastern Philippines	123.2219	15.1467	67.4	15	5




Figure 38: Kamchatka-Kuril-Japan-Izu-Mariana-Yap Subduction Zone unit sources.

Table 9: Earthquake parameters for Kamchatka-Kuril-Japan-Izu-Mariana-Yap Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
kisz-1a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	162.4318	55.5017	195	29	26.13
kisz-1b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	163.1000	55.4000	195	25	5
kisz-1y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	161.0884	55.7050	195	29	74.61
kisz-1z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	161.7610	55.6033	195	29	50.37
kisz-2a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	161.9883	54.6784	200	29	26.13
kisz-2b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	162.6247	54.5440	200	25	5
kisz-2y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.7072	54.9471	200	29	74.61
kisz-2z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	161.3488	54.8127	200	29	50.37
kisz-3a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	161.4385	53.8714	204	29	26.13
kisz-3b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	162.0449	53.7116	204	25	5
kisz-3y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.2164	54.1910	204	29	74.61
kisz-3z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.8286	54.0312	204	29	50.37
kisz-4a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.7926	53.1087	210	29	26.13
kisz-4b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	161.3568	52.9123	210	25	5
kisz-4y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	159.6539	53.5015	210	29	74.61
kisz-4z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.2246	53.3051	210	29	50.37
kisz-5a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.0211	52.4113	218	29	26.13
kisz-5b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	160.5258	52.1694	218	25	5
kisz-5y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	159.0005	52.8950	218	29	74.61
kisz-5z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	159.5122	52.6531	218	29	50.37
kisz-6a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	159.1272	51.7034	218	29	26.13
kisz-6b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	159.6241	51.4615	218	25	5
kisz-6y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	158.1228	52.1871	218	29	74.61
kisz-6z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	158.6263	51.9452	218	29	50.37
kisz-7a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	158.2625	50.9549	214	29	26.13
kisz-7b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	158.7771	50.7352	214	25	5
kisz-7y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	157.2236	51.3942	214	29	74.61
kisz-7z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	157.7443	51.1745	214	29	50.37
kisz-8a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	157.4712	50.2459	218	31	27.7
kisz-8b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	157.9433	50.0089	218	27	5
kisz-8y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	156.5176	50.7199	218	31	79.2
kisz-8z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	156.9956	50.4829	218	31	53.45
kisz-9a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	156.6114	49.5583	220	31	27.7
kisz-9b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	157.0638	49.3109	220	27	5
kisz-9y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	155.6974	50.0533	220	31	79.2
kisz-9z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	156.1556	49.8058	220	31	53.45
kisz-10a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	155.7294	48.8804	221	31	27.7
kisz-10b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	156.1690	48.6278	221	27	5
kisz-10y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	154.8413	49.3856	221	31	79.2
kisz-10z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	155.2865	49.1330	221	31	53.45
kisz-11a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	154.8489	48.1821	219	31	27.7
kisz-11b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	155.2955	47.9398	219	27	5
kisz-11y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	153.9472	48.6667	219	31	79.2
kisz-11z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	154.3991	48.4244	219	31	53.45
kisz-12a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	153.9994	47.4729	217	31	27.7
kisz-12b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	154.4701	47.2320	217	27	5
kisz-12y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	153.0856	47.9363	217	31	79.2
kisz-12z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	153.5435	47.7046	217	31	53.45
kisz-13a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	153.2239	46.7564	218	31	27.7
kisz-13b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	153.6648	46.5194	218	27	5
kisz-13y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	152.3343	47.2304	218	31	79.2
kisz-13z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	152.7801	46.9934	218	31	53.45
kisz-14a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	152.3657	46.1514	225	23	24.54
kisz-14b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	152.7855	45.8591	225	23	5
kisz-14y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	151.5172	46.7362	225	23	63.62
kisz-14z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	151.9426	46.4438	225	23	44.08
kisz-15a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	151.4663	45.5963	233	25	23.73
kisz-15b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	151.8144	45.2712	233	22	5
kisz-15y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	150.7619	46.2465	233	25	65.99
kisz-15z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	151.1151	45.9214	233	25	44.86
kisz-16a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	150.4572	45.0977	237	25	23.73
kisz-16b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	150.7694	44.7563	237	22	5
kisz-16y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	149.8253	45.7804	237	25	65.99
kisz-16z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	150.1422	45.4390	237	25	44.86

Continued on next page

Table 9 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
kisz-17a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	149.3989	44.6084	237	25	23.73
kisz-17b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	149.7085	44.2670	237	22	5
kisz-17y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	148.7723	45.2912	237	25	65.99
kisz-17z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	149.0865	44.9498	237	25	44.86
kisz-18a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	148.3454	44.0982	235	25	23.73
kisz-18b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	148.6687	43.7647	235	22	5
kisz-18y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.6915	44.7651	235	25	65.99
kisz-18z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	148.0194	44.4316	235	25	44.86
kisz-19a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.3262	43.5619	233	25	23.73
kisz-19b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.6625	43.2368	233	22	5
kisz-19y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.6463	44.2121	233	25	65.99
kisz-19z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.9872	43.8870	233	25	44.86
kisz-20a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.3513	43.0633	237	25	23.73
kisz-20b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.6531	42.7219	237	22	5
kisz-20y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.7410	43.7461	237	25	65.99
kisz-20z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.0470	43.4047	237	25	44.86
kisz-21a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.3331	42.5948	239	25	23.73
kisz-21b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.6163	42.2459	239	22	5
kisz-21y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.7603	43.2927	239	25	65.99
kisz-21z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.0475	42.9438	239	25	44.86
kisz-22a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.3041	42.1631	242	25	23.73
kisz-22b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.5605	41.8037	242	22	5
kisz-22y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.7854	42.8819	242	25	65.99
kisz-22z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.0455	42.5225	242	25	44.86
kisz-23a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.2863	41.3335	202	21	21.28
kisz-23b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.8028	41.1764	202	19	5
kisz-23v	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.6816	42.1189	202	21	110.9
kisz-23w	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.2050	41.9618	202	21	92.95
kisz-23x	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.7273	41.8047	202	21	75.04
kisz-23y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.2482	41.6476	202	21	57.12
kisz-23z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7679	41.4905	202	21	39.2
kisz-24a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.9795	40.3490	185	21	21.28
kisz-24b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.5273	40.3125	185	19	5
kisz-24x	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.3339	40.4587	185	21	75.04
kisz-24y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.8827	40.4221	185	21	57.12
kisz-24z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.4312	40.3856	185	21	39.2
kisz-25a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.8839	39.4541	185	21	21.28
kisz-25b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.4246	39.4176	185	19	5
kisz-25y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.8012	39.5272	185	21	57.12
kisz-25z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.3426	39.4907	185	21	39.2
kisz-26a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7622	38.5837	188	21	21.28
kisz-26b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.2930	38.5254	188	19	5
kisz-26x	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.1667	38.7588	188	21	75.04
kisz-26y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.6990	38.7004	188	21	57.12
kisz-26z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.2308	38.6421	188	21	39.2
kisz-27a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.5320	37.7830	198	21	21.28
kisz-27b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.0357	37.6534	198	19	5
kisz-27x	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.0142	38.1717	198	21	75.04
kisz-27y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.5210	38.0421	198	21	57.12
kisz-27z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.0269	37.9126	198	21	39.2
kisz-28a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.1315	37.0265	208	21	21.28
kisz-28b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.5941	36.8297	208	19	5
kisz-28x	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.7348	37.6171	208	21	75.04
kisz-28y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.2016	37.4202	208	21	57.12
kisz-28z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.6671	37.2234	208	21	39.2
kisz-29a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.5970	36.2640	211	21	21.28
kisz-29b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.0416	36.0481	211	19	5
kisz-29y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.7029	36.6960	211	21	57.12
kisz-29z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.1506	36.4800	211	21	39.2
kisz-30a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.0553	35.4332	205	21	21.28
kisz-30b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.5207	35.2560	205	19	5
kisz-30y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.1204	35.7876	205	21	57.12
kisz-30z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.5883	35.6104	205	21	39.2
kisz-31a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.6956	34.4789	190	22	22.1
kisz-31b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.1927	34.4066	190	20	5
kisz-31v	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	138.2025	34.8405	190	22	115.8

Continued on next page

Table 9 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
kisz-31w	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	138.7021	34.7682	190	22	97.02
kisz-31x	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	139.2012	34.6958	190	22	78.29
kisz-31y	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	139.6997	34.6235	190	22	59.56
kisz-31z	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.1979	34.5512	190	22	40.83
kisz-32a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.0551	33.0921	180	32	23.48
kisz-32b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.5098	33.0921	180	21.69	5
kisz-33a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.0924	32.1047	173.8	27.65	20.67
kisz-33b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.5596	32.1473	173.8	18.27	5
kisz-34a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.1869	31.1851	172.1	25	18.26
kisz-34b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.6585	31.2408	172.1	15.38	5
kisz-35a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.4154	30.1707	163	25	17.12
kisz-35b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.8662	30.2899	163	14.03	5
kisz-36a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.6261	29.2740	161.7	25.73	18.71
kisz-36b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.0670	29.4012	161.7	15.91	5
kisz-37a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.0120	28.3322	154.7	20	14.54
kisz-37b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.4463	28.5124	154.7	11	5
kisz-38a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.2254	27.6946	170.3	20	14.54
kisz-38b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.6955	27.7659	170.3	11	5
kisz-39a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.3085	26.9127	177.2	24.23	17.42
kisz-39b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7674	26.9325	177.2	14.38	5
kisz-40a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.2673	26.1923	189.4	26.49	22.26
kisz-40b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7090	26.1264	189.4	20.2	5
kisz-41a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.1595	25.0729	173.7	22.07	19.08
kisz-41b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.6165	25.1184	173.7	16.36	5
kisz-42a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7641	23.8947	143.5	21.54	18.4
kisz-42b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.1321	24.1432	143.5	15.54	5
kisz-43a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.5281	23.0423	129.2	23.02	18.77
kisz-43b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.8128	23.3626	129.2	15.99	5
kisz-44a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.2230	22.5240	134.6	28.24	18.56
kisz-44b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.5246	22.8056	134.6	15.74	5
kisz-45a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.0895	21.8866	125.8	36.73	22.79
kisz-45b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.3171	22.1785	125.8	20.84	5
kisz-46a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.6972	21.3783	135.9	30.75	20.63
kisz-46b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.9954	21.6469	135.9	18.22	5
kisz-47a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.0406	20.9341	160.1	29.87	19.62
kisz-47b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.4330	21.0669	160.1	17	5
kisz-48a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.3836	20.0690	158	32.75	19.68
kisz-48b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.7567	20.2108	158	17.07	5
kisz-49a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.6689	19.3123	164.5	25.07	21.41
kisz-49b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.0846	19.4212	164.5	19.16	5
kisz-50a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.9297	18.5663	172.1	22	22.1
kisz-50b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.3650	18.6238	172.1	20	5
kisz-51a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.9495	17.7148	175.1	22.06	22.04
kisz-51b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.3850	17.7503	175.1	19.93	5
kisz-52a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.9447	16.8869	180	25.51	18.61
kisz-52b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.3683	16.8869	180	15.79	5
kisz-53a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.8626	16.0669	185.2	27.39	18.41
kisz-53b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.2758	16.0309	185.2	15.56	5
kisz-54a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.7068	15.3883	199.1	28.12	20.91
kisz-54b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	147.0949	15.2590	199.1	18.56	5
kisz-55a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.4717	14.6025	204.3	29.6	26.27
kisz-55b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.8391	14.4415	204.3	25.18	5
kisz-56a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.1678	13.9485	217.4	32.04	26.79
kisz-56b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	146.4789	13.7170	217.4	25.84	5
kisz-57a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.6515	13.5576	235.8	37	24.54
kisz-57b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.8586	13.2609	235.8	23	5
kisz-58a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.9648	12.9990	237.8	37.72	24.54
kisz-58b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	145.1589	12.6984	237.8	23	5
kisz-59a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.1799	12.6914	242.9	34.33	22.31
kisz-59b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	144.3531	12.3613	242.9	20.25	5
kisz-60a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.3687	12.3280	244.9	30.9	20.62
kisz-60b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	143.5355	11.9788	244.9	18.2	5
kisz-61a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7051	12.1507	261.8	35.41	25.51
kisz-61b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	142.7582	11.7883	261.8	24.22	5
kisz-62a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.6301	11.8447	245.7	39.86	34.35
kisz-62b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	141.7750	11.5305	245.7	35.94	5

Continued on next page

Table 9 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
kisz-63a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.8923	11.5740	256.2	42	38.46
kisz-63b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.9735	11.2498	256.2	42	5
kisz-64a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.1387	11.6028	269.6	42.48	38.77
kisz-64b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	140.1410	11.2716	269.6	42.48	5
kisz-65a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	139.4595	11.5883	288.7	44.16	39.83
kisz-65b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	139.3541	11.2831	288.7	44.16	5
kisz-66a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	138.1823	11.2648	193.1	45	40.36
kisz-66b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	138.4977	11.1929	193.1	45	5
kisz-67a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	137.9923	10.3398	189.8	45	40.36
kisz-67b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	138.3104	10.2856	189.8	45	5
kisz-68a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	137.7607	9.6136	201.7	45	40.36
kisz-68b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	138.0599	9.4963	201.7	45	5
kisz-69a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	137.4537	8.8996	213.5	45	40.36
kisz-69b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	137.7215	8.7241	213.5	45	5
kisz-70a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	137.0191	8.2872	226.5	45	40.36
kisz-70b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	137.2400	8.0569	226.5	45	5
kisz-71a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	136.3863	7.9078	263.9	45	40.36
kisz-71b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	136.4202	7.5920	263.9	45	5
kisz-72a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	135.6310	7.9130	276.9	45	40.36
kisz-72b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	135.5926	7.5977	276.9	45	5
kisz-73a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	134.3296	7.4541	224	45	40.36
kisz-73b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	134.5600	7.2335	224	45	5
kisz-74a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	133.7125	6.8621	228.1	45	40.36
kisz-74b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	133.9263	6.6258	228.1	45	5
kisz-75a	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	133.0224	6.1221	217.7	45	40.36
kisz-75b	Kamchatka-Kuril-Japan-Izu-Mariana-Yap	133.2751	5.9280	217.7	45	5




Figure 39: Manus–Oceanic Convergent Boundary Subduction Zone unit sources.

Table 10: Earthquake parameters for Manus–Oceanic Convergent Boundary Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
mosz-1a	Manus–Oceanic Convergent Boundary	154.0737	-4.8960	140.2	15	15.88
mosz-1b	Manus–Oceanic Convergent Boundary	154.4082	-4.6185	140.2	15	5
mosz-2a	Manus–Oceanic Convergent Boundary	153.5589	-4.1575	140.2	15	15.91
mosz-2b	Manus–Oceanic Convergent Boundary	153.8931	-3.8800	140.2	15	5.35
mosz-3a	Manus–Oceanic Convergent Boundary	153.0151	-3.3716	143.9	15	16.64
mosz-3b	Manus–Oceanic Convergent Boundary	153.3662	-3.1160	143.9	15	6.31
mosz-4a	Manus–Oceanic Convergent Boundary	152.4667	-3.0241	127.7	15	17.32
mosz-4b	Manus–Oceanic Convergent Boundary	152.7321	-2.6806	127.7	15	7.39
mosz-5a	Manus–Oceanic Convergent Boundary	151.8447	-2.7066	114.3	15	17.57
mosz-5b	Manus–Oceanic Convergent Boundary	152.0235	-2.3112	114.3	15	8.25
mosz-6a	Manus–Oceanic Convergent Boundary	151.0679	-2.2550	115	15	17.66
mosz-6b	Manus–Oceanic Convergent Boundary	151.2513	-1.8618	115	15	7.58
mosz-7a	Manus–Oceanic Convergent Boundary	150.3210	-2.0236	107.2	15	17.73
mosz-7b	Manus–Oceanic Convergent Boundary	150.4493	-1.6092	107.2	15	6.83
mosz-8a	Manus–Oceanic Convergent Boundary	149.3226	-1.6666	117.8	15	17.83
mosz-8b	Manus–Oceanic Convergent Boundary	149.5251	-1.2829	117.8	15	7.92
mosz-9a	Manus–Oceanic Convergent Boundary	148.5865	-1.3017	112.7	15	17.84
mosz-9b	Manus–Oceanic Convergent Boundary	148.7540	-0.9015	112.7	15	8.3
mosz-10a	Manus–Oceanic Convergent Boundary	147.7760	-1.1560	108	15	17.78
mosz-10b	Manus–Oceanic Convergent Boundary	147.9102	-0.7434	108	15	8.09
mosz-11a	Manus–Oceanic Convergent Boundary	146.9596	-1.1226	102.5	15	17.54
mosz-11b	Manus–Oceanic Convergent Boundary	147.0531	-0.6990	102.5	15	7.64
mosz-12a	Manus–Oceanic Convergent Boundary	146.2858	-1.1820	87.48	15	17.29
mosz-12b	Manus–Oceanic Convergent Boundary	146.2667	-0.7486	87.48	15	7.62
mosz-13a	Manus–Oceanic Convergent Boundary	145.4540	-1.3214	83.75	15	17.34
mosz-13b	Manus–Oceanic Convergent Boundary	145.4068	-0.8901	83.75	15	7.08
mosz-14a	Manus–Oceanic Convergent Boundary	144.7151	-1.5346	75.09	15	17.21
mosz-14b	Manus–Oceanic Convergent Boundary	144.6035	-1.1154	75.09	15	6.38
mosz-15a	Manus–Oceanic Convergent Boundary	143.9394	-1.8278	70.43	15	16.52
mosz-15b	Manus–Oceanic Convergent Boundary	143.7940	-1.4190	70.43	15	6.09
mosz-16a	Manus–Oceanic Convergent Boundary	143.4850	-2.2118	50.79	15	15.86
mosz-16b	Manus–Oceanic Convergent Boundary	143.2106	-1.8756	50.79	15	5
mosz-17a	Manus–Oceanic Convergent Boundary	143.1655	-2.7580	33	15	16.64
mosz-17b	Manus–Oceanic Convergent Boundary	142.8013	-2.5217	33	15	5




Figure 40: New Guinea Subduction Zone unit sources.

Table 11: Earthquake parameters for New Guinea Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
ngsz-1a	New Guinea	143.6063	-4.3804	120	29	25.64
ngsz-1b	New Guinea	143.8032	-4.0402	120	29	1.4
ngsz-2a	New Guinea	142.9310	-3.9263	114	27.63	20.1
ngsz-2b	New Guinea	143.0932	-3.5628	114	21.72	1.6
ngsz-3a	New Guinea	142.1076	-3.5632	114	20.06	18.73
ngsz-3b	New Guinea	142.2795	-3.1778	114	15.94	5
ngsz-4a	New Guinea	141.2681	-3.2376	114	21	17.76
ngsz-4b	New Guinea	141.4389	-2.8545	114	14.79	5
ngsz-5a	New Guinea	140.4592	-2.8429	114	21.26	16.14
ngsz-5b	New Guinea	140.6296	-2.4605	114	12.87	5
ngsz-6a	New Guinea	139.6288	-2.4960	114	22.72	15.4
ngsz-6b	New Guinea	139.7974	-2.1175	114	12	5
ngsz-7a	New Guinea	138.8074	-2.1312	114	21.39	15.4
ngsz-7b	New Guinea	138.9776	-1.7491	114	12	5
ngsz-8a	New Guinea	138.0185	-1.7353	113.1	18.79	15.14
ngsz-8b	New Guinea	138.1853	-1.3441	113.1	11.7	5
ngsz-9a	New Guinea	137.1805	-1.5037	111	15.24	13.23
ngsz-9b	New Guinea	137.3358	-1.0991	111	9.47	5
ngsz-10a	New Guinea	136.3418	-1.1774	111	13.51	11.09
ngsz-10b	New Guinea	136.4983	-0.7697	111	7	5
ngsz-11a	New Guinea	135.4984	-0.8641	111	11.38	12.49
ngsz-11b	New Guinea	135.6562	-0.4530	111	8.62	5
ngsz-12a	New Guinea	134.6759	-0.5216	110.5	10	13.68
ngsz-12b	New Guinea	134.8307	-0.1072	110.5	10	5
ngsz-13a	New Guinea	133.3065	-1.0298	99.5	10	13.68
ngsz-13b	New Guinea	133.3795	-0.5935	99.5	10	5
ngsz-14a	New Guinea	132.4048	-0.8816	99.5	10	13.68
ngsz-14b	New Guinea	132.4778	-0.4453	99.5	10	5
ngsz-15a	New Guinea	131.5141	-0.7353	99.5	10	13.68
ngsz-15b	New Guinea	131.5871	-0.2990	99.5	10	5




Figure 41: New Zealand–Keradec–Tonga Subduction Zone unit sources.

Table 12: Earthquake parameters for New Zealand–Keradec–Tonga Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
ntsz-1a	New Zealand–Keradec–Tonga	174.0985	-41.3951	258.6	24	25.34
ntsz-1b	New Zealand–Keradec–Tonga	174.2076	-41.7973	258.6	24	5
ntsz-2a	New Zealand–Keradec–Tonga	175.3289	-41.2592	260.6	29.38	23.17
ntsz-2b	New Zealand–Keradec–Tonga	175.4142	-41.6454	260.6	21.31	5
ntsz-3a	New Zealand–Keradec–Tonga	176.2855	-40.9950	250.7	29.54	21.74
ntsz-3b	New Zealand–Keradec–Tonga	176.4580	-41.3637	250.7	19.56	5
ntsz-4a	New Zealand–Keradec–Tonga	177.0023	-40.7679	229.4	24.43	18.87
ntsz-4b	New Zealand–Keradec–Tonga	177.3552	-41.0785	229.4	16.1	5
ntsz-5a	New Zealand–Keradec–Tonga	177.4114	-40.2396	210	18.8	19.29
ntsz-5b	New Zealand–Keradec–Tonga	177.8951	-40.4525	210	16.61	5
ntsz-6a	New Zealand–Keradec–Tonga	177.8036	-39.6085	196.7	18.17	15.8
ntsz-6b	New Zealand–Keradec–Tonga	178.3352	-39.7310	196.7	12.48	5
ntsz-7a	New Zealand–Keradec–Tonga	178.1676	-38.7480	197	28.1	17.85
ntsz-7b	New Zealand–Keradec–Tonga	178.6541	-38.8640	197	14.89	5
ntsz-8a	New Zealand–Keradec–Tonga	178.6263	-37.8501	201.4	31.47	18.78
ntsz-8b	New Zealand–Keradec–Tonga	179.0788	-37.9899	201.4	16	5
ntsz-9a	New Zealand–Keradec–Tonga	178.9833	-36.9770	202.2	29.58	20.02
ntsz-9b	New Zealand–Keradec–Tonga	179.4369	-37.1245	202.2	17.48	5
ntsz-10a	New Zealand–Keradec–Tonga	179.5534	-36.0655	210.6	32.1	20.72
ntsz-10b	New Zealand–Keradec–Tonga	179.9595	-36.2593	210.6	18.32	5
ntsz-11a	New Zealand–Keradec–Tonga	179.9267	-35.3538	201.7	25	16.09
ntsz-11b	New Zealand–Keradec–Tonga	180.3915	-35.5040	201.7	12.81	5
ntsz-12a	New Zealand–Keradec–Tonga	180.4433	-34.5759	201.2	25	15.46
ntsz-12b	New Zealand–Keradec–Tonga	180.9051	-34.7230	201.2	12.08	5
ntsz-13a	New Zealand–Keradec–Tonga	180.7990	-33.7707	199.8	25.87	19.06
ntsz-13b	New Zealand–Keradec–Tonga	181.2573	-33.9073	199.8	16.33	5
ntsz-14a	New Zealand–Keradec–Tonga	181.2828	-32.9288	202.4	31.28	22.73
ntsz-14b	New Zealand–Keradec–Tonga	181.7063	-33.0751	202.4	20.77	5
ntsz-15a	New Zealand–Keradec–Tonga	181.4918	-32.0035	205.4	32.33	22.64
ntsz-15b	New Zealand–Keradec–Tonga	181.8967	-32.1665	205.4	20.66	5
ntsz-16a	New Zealand–Keradec–Tonga	181.9781	-31.2535	205.5	34.29	23.59
ntsz-16b	New Zealand–Keradec–Tonga	182.3706	-31.4131	205.5	21.83	5
ntsz-17a	New Zealand–Keradec–Tonga	182.4819	-30.3859	210.3	37.6	25.58
ntsz-17b	New Zealand–Keradec–Tonga	182.8387	-30.5655	210.3	24.3	5
ntsz-18a	New Zealand–Keradec–Tonga	182.8176	-29.6545	201.6	37.65	26.13
ntsz-18b	New Zealand–Keradec–Tonga	183.1985	-29.7856	201.6	25	5
ntsz-19a	New Zealand–Keradec–Tonga	183.0622	-28.8739	195.7	34.41	26.13
ntsz-19b	New Zealand–Keradec–Tonga	183.4700	-28.9742	195.7	25	5
ntsz-20a	New Zealand–Keradec–Tonga	183.2724	-28.0967	188.8	38	26.13
ntsz-20b	New Zealand–Keradec–Tonga	183.6691	-28.1508	188.8	25	5
ntsz-21a	New Zealand–Keradec–Tonga	183.5747	-27.1402	197.1	32.29	24.83
ntsz-21b	New Zealand–Keradec–Tonga	183.9829	-27.2518	197.1	23.37	5
ntsz-22a	New Zealand–Keradec–Tonga	183.6608	-26.4975	180	29.56	18.63
ntsz-22b	New Zealand–Keradec–Tonga	184.0974	-26.4975	180	15.82	5
ntsz-23a	New Zealand–Keradec–Tonga	183.7599	-25.5371	185.8	32.42	20.56
ntsz-23b	New Zealand–Keradec–Tonga	184.1781	-25.5752	185.8	18.13	5
ntsz-24a	New Zealand–Keradec–Tonga	183.9139	-24.6201	188.2	33.31	23.73
ntsz-24b	New Zealand–Keradec–Tonga	184.3228	-24.6734	188.2	22	5
ntsz-25a	New Zealand–Keradec–Tonga	184.1266	-23.5922	198.5	29.34	19.64
ntsz-25b	New Zealand–Keradec–Tonga	184.5322	-23.7163	198.5	17.03	5
ntsz-26a	New Zealand–Keradec–Tonga	184.6613	-22.6460	211.7	30.26	19.43
ntsz-26b	New Zealand–Keradec–Tonga	185.0196	-22.8497	211.7	16.78	5
ntsz-27a	New Zealand–Keradec–Tonga	185.0879	-21.9139	207.9	31.73	20.67
ntsz-27b	New Zealand–Keradec–Tonga	185.4522	-22.0928	207.9	18.27	5
ntsz-28a	New Zealand–Keradec–Tonga	185.4037	-21.1758	200.5	32.44	21.76
ntsz-28b	New Zealand–Keradec–Tonga	185.7849	-21.3084	200.5	19.58	5
ntsz-29a	New Zealand–Keradec–Tonga	185.8087	-20.2629	206.4	32.47	20.4
ntsz-29b	New Zealand–Keradec–Tonga	186.1710	-20.4312	206.4	17.94	5
ntsz-30a	New Zealand–Keradec–Tonga	186.1499	-19.5087	200.9	32.98	22.46
ntsz-30b	New Zealand–Keradec–Tonga	186.5236	-19.6432	200.9	20.44	5
ntsz-31a	New Zealand–Keradec–Tonga	186.3538	-18.7332	193.9	34.41	21.19
ntsz-31b	New Zealand–Keradec–Tonga	186.7339	-18.8221	193.9	18.89	5
ntsz-32a	New Zealand–Keradec–Tonga	186.5949	-17.8587	194.1	30	19.12
ntsz-32b	New Zealand–Keradec–Tonga	186.9914	-17.9536	194.1	16.4	5

Continued on next page

Table 12 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
ntsz-33a	New Zealand–Keradec–Tonga	186.8172	-17.0581	190	33.15	23.34
ntsz-33b	New Zealand–Keradec–Tonga	187.2047	-17.1237	190	21.52	5
ntsz-34a	New Zealand–Keradec–Tonga	186.7814	-16.2598	182.1	15	13.41
ntsz-34b	New Zealand–Keradec–Tonga	187.2330	-16.2759	182.1	9.68	5
ntsz-35a	New Zealand–Keradec–Tonga	186.8000	-15.8563	149.8	15	12.17
ntsz-35b	New Zealand–Keradec–Tonga	187.1896	-15.6384	149.8	8.24	5
ntsz-36a	New Zealand–Keradec–Tonga	186.5406	-15.3862	123.9	40.44	36.72
ntsz-36b	New Zealand–Keradec–Tonga	186.7381	-15.1025	123.9	39.38	5
ntsz-37a	New Zealand–Keradec–Tonga	185.9883	-14.9861	102	68.94	30.99
ntsz-37b	New Zealand–Keradec–Tonga	186.0229	-14.8282	102	31.32	5
ntsz-38a	New Zealand–Keradec–Tonga	185.2067	-14.8259	88.4	80	26.13
ntsz-38b	New Zealand–Keradec–Tonga	185.2044	-14.7479	88.4	25	5
ntsz-39a	New Zealand–Keradec–Tonga	184.3412	-14.9409	82.55	80	26.13
ntsz-39b	New Zealand–Keradec–Tonga	184.3307	-14.8636	82.55	25	5




Figure 42: New Britain–Solomons–Vanuatu Zone unit sources.

Table 13: Earthquake parameters for New Britain–Solomons–Vanuatu Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
nvsh-1a	New Britain–Solomons–Vanuatu	148.6217	-6.4616	243.2	32.34	15.69
nvsh-1b	New Britain–Solomons–Vanuatu	148.7943	-6.8002	234.2	12.34	5
nvsh-2a	New Britain–Solomons–Vanuatu	149.7218	-6.1459	260.1	35.1	16.36
nvsh-2b	New Britain–Solomons–Vanuatu	149.7856	-6.5079	260.1	13.13	5
nvsh-3a	New Britain–Solomons–Vanuatu	150.4075	-5.9659	245.7	42.35	18.59
nvsh-3b	New Britain–Solomons–Vanuatu	150.5450	-6.2684	245.7	15.77	5
nvsh-4a	New Britain–Solomons–Vanuatu	151.1095	-5.5820	238.2	42.41	23.63
nvsh-4b	New Britain–Solomons–Vanuatu	151.2851	-5.8639	238.2	21.88	5
nvsh-5a	New Britain–Solomons–Vanuatu	152.0205	-5.1305	247.7	49.22	32.39
nvsh-5b	New Britain–Solomons–Vanuatu	152.1322	-5.4020	247.7	33.22	5
nvsh-6a	New Britain–Solomons–Vanuatu	153.3450	-5.1558	288.6	53.53	33.59
nvsh-6b	New Britain–Solomons–Vanuatu	153.2595	-5.4089	288.6	34.87	5
nvsh-7a	New Britain–Solomons–Vanuatu	154.3814	-5.6308	308.3	39.72	19.18
nvsh-7b	New Britain–Solomons–Vanuatu	154.1658	-5.9017	308.3	16.48	5
nvsh-8a	New Britain–Solomons–Vanuatu	155.1097	-6.3511	317.2	45.33	22.92
nvsh-8b	New Britain–Solomons–Vanuatu	154.8764	-6.5656	317.2	21	5
nvsh-9a	New Britain–Solomons–Vanuatu	155.5027	-6.7430	290.5	48.75	22.92
nvsh-9b	New Britain–Solomons–Vanuatu	155.3981	-7.0204	290.5	21	5
nvsh-10a	New Britain–Solomons–Vanuatu	156.4742	-7.2515	305.9	36.88	27.62
nvsh-10b	New Britain–Solomons–Vanuatu	156.2619	-7.5427	305.9	26.9	5
nvsh-11a	New Britain–Solomons–Vanuatu	157.0830	-7.8830	305.4	32.97	29.72
nvsh-11b	New Britain–Solomons–Vanuatu	156.8627	-8.1903	305.4	29.63	5
nvsh-12a	New Britain–Solomons–Vanuatu	157.6537	-8.1483	297.9	37.53	28.57
nvsh-12b	New Britain–Solomons–Vanuatu	157.4850	-8.4630	297.9	28.13	5
nvsh-13a	New Britain–Solomons–Vanuatu	158.5089	-8.5953	302.7	33.62	23.02
nvsh-13b	New Britain–Solomons–Vanuatu	158.3042	-8.9099	302.7	21.12	5
nvsh-14a	New Britain–Solomons–Vanuatu	159.1872	-8.9516	293.3	38.44	34.06
nvsh-14b	New Britain–Solomons–Vanuatu	159.0461	-9.2747	293.3	35.54	5
nvsh-15a	New Britain–Solomons–Vanuatu	159.9736	-9.5993	302.8	46.69	41.38
nvsh-15b	New Britain–Solomons–Vanuatu	159.8044	-9.8584	302.8	46.69	5
nvsh-16a	New Britain–Solomons–Vanuatu	160.7343	-10.0574	301	46.05	41
nvsh-16b	New Britain–Solomons–Vanuatu	160.5712	-10.3246	301	46.05	5
nvsh-17a	New Britain–Solomons–Vanuatu	161.4562	-10.5241	298.4	40.12	37.22
nvsh-17b	New Britain–Solomons–Vanuatu	161.2900	-10.8263	298.4	40.12	5
nvsh-18a	New Britain–Solomons–Vanuatu	162.0467	-10.6823	274.1	40.33	29.03
nvsh-18b	New Britain–Solomons–Vanuatu	162.0219	-11.0238	274.1	28.72	5
nvsh-19a	New Britain–Solomons–Vanuatu	162.7818	-10.5645	261.3	34.25	24.14
nvsh-19b	New Britain–Solomons–Vanuatu	162.8392	-10.9315	261.3	22.51	5
nvsh-20a	New Britain–Solomons–Vanuatu	163.7222	-10.5014	262.9	50.35	26.3
nvsh-20b	New Britain–Solomons–Vanuatu	163.7581	-10.7858	262.9	25.22	5
nvsh-21a	New Britain–Solomons–Vanuatu	164.9445	-10.4183	287.9	40.31	23.3
nvsh-21b	New Britain–Solomons–Vanuatu	164.8374	-10.7442	287.9	21.47	5
nvsh-22a	New Britain–Solomons–Vanuatu	166.0261	-11.1069	317.1	42.39	20.78
nvsh-22b	New Britain–Solomons–Vanuatu	165.7783	-11.3328	317.1	18.4	5
nvsh-23a	New Britain–Solomons–Vanuatu	166.5179	-12.2260	342.4	47.95	22.43
nvsh-23b	New Britain–Solomons–Vanuatu	166.2244	-12.3171	342.4	20.4	5
nvsh-24a	New Britain–Solomons–Vanuatu	166.7236	-13.1065	342.6	47.13	28.52
nvsh-24b	New Britain–Solomons–Vanuatu	166.4241	-13.1979	342.6	28.06	5
nvsh-25a	New Britain–Solomons–Vanuatu	166.8914	-14.0785	350.3	54.1	31.16
nvsh-25b	New Britain–Solomons–Vanuatu	166.6237	-14.1230	350.3	31.55	5
nvsh-26a	New Britain–Solomons–Vanuatu	166.9200	-15.1450	365.6	50.46	29.05
nvsh-26b	New Britain–Solomons–Vanuatu	166.6252	-15.1170	365.6	28.75	5
nvsh-27a	New Britain–Solomons–Vanuatu	167.0053	-15.6308	334.2	44.74	25.46
nvsh-27b	New Britain–Solomons–Vanuatu	166.7068	-15.7695	334.2	24.15	5
nvsh-28a	New Britain–Solomons–Vanuatu	167.4074	-16.3455	327.5	41.53	22.44
nvsh-28b	New Britain–Solomons–Vanuatu	167.1117	-16.5264	327.5	20.42	5
nvsh-29a	New Britain–Solomons–Vanuatu	167.9145	-17.2807	341.2	49.1	24.12
nvsh-29b	New Britain–Solomons–Vanuatu	167.6229	-17.3757	341.2	22.48	5
nvsh-30a	New Britain–Solomons–Vanuatu	168.2220	-18.2353	348.6	44.19	23.99
nvsh-30b	New Britain–Solomons–Vanuatu	167.8895	-18.2991	348.6	22.32	5
nvsh-31a	New Britain–Solomons–Vanuatu	168.5022	-19.0510	345.6	42.2	22.26
nvsh-31b	New Britain–Solomons–Vanuatu	168.1611	-19.1338	345.6	20.2	5
nvsh-32a	New Britain–Solomons–Vanuatu	168.8775	-19.6724	331.1	42.03	21.68
nvsh-32b	New Britain–Solomons–Vanuatu	168.5671	-19.8338	331.1	19.49	5

Continued on next page

Table 13 – continued

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
nvsz-33a	New Britain–Solomons–Vanuatu	169.3422	-20.4892	332.9	40.25	22.4
nvsz-33b	New Britain–Solomons–Vanuatu	169.0161	-20.6453	332.9	20.37	5
nvsz-34a	New Britain–Solomons–Vanuatu	169.8304	-21.2121	329.1	39	22.73
nvsz-34b	New Britain–Solomons–Vanuatu	169.5086	-21.3911	329.1	20.77	5
nvsz-35a	New Britain–Solomons–Vanuatu	170.3119	-21.6945	311.9	39	22.13
nvsz-35b	New Britain–Solomons–Vanuatu	170.0606	-21.9543	311.9	20.03	5
nvsz-36a	New Britain–Solomons–Vanuatu	170.9487	-22.1585	300.4	39.42	23.5
nvsz-36b	New Britain–Solomons–Vanuatu	170.7585	-22.4577	300.4	21.71	5
nvsz-37a	New Britain–Solomons–Vanuatu	171.6335	-22.3087	281.3	30	22.1
nvsz-37b	New Britain–Solomons–Vanuatu	171.5512	-22.6902	281.3	20	5




Figure 43: Ryukyu-Kyushu-Nankai Zone unit sources.

Table 14: Earthquake parameters for Ryukyu–Kyushu–Nankai Subduction Zone unit sources.

Segment	Description	Longitude(°E)	Latitude(°N)	Strike(°)	Dip(°)	Depth (km)
rnsz-1a	Ryukyu–Kyushu–Nankai	122.6672	23.6696	262	14	11.88
rnsz-1b	Ryukyu–Kyushu–Nankai	122.7332	23.2380	262	10	3.2
rnsz-2a	Ryukyu–Kyushu–Nankai	123.5939	23.7929	259.9	18.11	12.28
rnsz-2b	Ryukyu–Kyushu–Nankai	123.6751	23.3725	259.9	10	3.6
rnsz-3a	Ryukyu–Kyushu–Nankai	124.4604	23.9777	254.6	19.27	14.65
rnsz-3b	Ryukyu–Kyushu–Nankai	124.5830	23.5689	254.6	12.18	4.1
rnsz-4a	Ryukyu–Kyushu–Nankai	125.2720	24.2102	246.8	18	20.38
rnsz-4b	Ryukyu–Kyushu–Nankai	125.4563	23.8177	246.8	16	6.6
rnsz-5a	Ryukyu–Kyushu–Nankai	125.9465	24.5085	233.6	18	20.21
rnsz-5b	Ryukyu–Kyushu–Nankai	126.2241	24.1645	233.6	16	6.43
rnsz-6a	Ryukyu–Kyushu–Nankai	126.6349	25.0402	228.7	17.16	19.55
rnsz-6b	Ryukyu–Kyushu–Nankai	126.9465	24.7176	228.7	15.16	6.47
rnsz-7a	Ryukyu–Kyushu–Nankai	127.2867	25.6343	224	15.85	17.98
rnsz-7b	Ryukyu–Kyushu–Nankai	127.6303	25.3339	224	13.56	6.26
rnsz-8a	Ryukyu–Kyushu–Nankai	128.0725	26.3146	229.7	14.55	14.31
rnsz-8b	Ryukyu–Kyushu–Nankai	128.3854	25.9831	229.7	9.64	5.94
rnsz-9a	Ryukyu–Kyushu–Nankai	128.6642	26.8177	219.2	15.4	12.62
rnsz-9b	Ryukyu–Kyushu–Nankai	129.0391	26.5438	219.2	8	5.66
rnsz-10a	Ryukyu–Kyushu–Nankai	129.2286	27.4879	215.2	17	12.55
rnsz-10b	Ryukyu–Kyushu–Nankai	129.6233	27.2402	215.2	8.16	5.45
rnsz-11a	Ryukyu–Kyushu–Nankai	129.6169	28.0741	201.3	17	12.91
rnsz-11b	Ryukyu–Kyushu–Nankai	130.0698	27.9181	201.3	8.8	5.26
rnsz-12a	Ryukyu–Kyushu–Nankai	130.6175	29.0900	236.7	16.42	13.05
rnsz-12b	Ryukyu–Kyushu–Nankai	130.8873	28.7299	236.7	9.57	4.74
rnsz-13a	Ryukyu–Kyushu–Nankai	130.7223	29.3465	195.2	20.25	15.89
rnsz-13b	Ryukyu–Kyushu–Nankai	131.1884	29.2362	195.2	12.98	4.66
rnsz-14a	Ryukyu–Kyushu–Nankai	131.3467	30.3899	215.1	22.16	19.73
rnsz-14b	Ryukyu–Kyushu–Nankai	131.7402	30.1507	215.1	17.48	4.71
rnsz-15a	Ryukyu–Kyushu–Nankai	131.9149	31.1450	216	15.11	16.12
rnsz-15b	Ryukyu–Kyushu–Nankai	132.3235	30.8899	216	13.46	4.48
rnsz-16a	Ryukyu–Kyushu–Nankai	132.5628	31.9468	220.9	10.81	10.88
rnsz-16b	Ryukyu–Kyushu–Nankai	132.9546	31.6579	220.9	7.19	4.62
rnsz-17a	Ryukyu–Kyushu–Nankai	133.6125	32.6956	239	10.14	12.01
rnsz-17b	Ryukyu–Kyushu–Nankai	133.8823	32.3168	239	8.41	4.7
rnsz-18a	Ryukyu–Kyushu–Nankai	134.6416	33.1488	244.7	10.99	14.21
rnsz-18b	Ryukyu–Kyushu–Nankai	134.8656	32.7502	244.5	10.97	4.7

C SIFT Testing

By Lindsey Wright and Elena Tolkova

C.1 PURPOSE

Forecast models are tested with synthetic tsunami events covering a range of tsunami source locations and magnitudes. Testing is also done with selected historical tsunami events when available.

The testing of a forecast model has three objectives. The first objective is to assure that the results obtained with the NOAAs tsunami forecast system software, which has been released to the Tsunami Warning Centers for operational use, are consistent with those obtained by the researcher during the development of the forecast model. The second objective is to test the forecast model for consistency, accuracy, time efficiency, and quality of results over a range of possible tsunami locations and magnitudes. The third objective is to identify bugs and issues in need of resolution by the researcher who developed the Forecast Model or by the forecast system software development team before the next version release to NOAAs two Tsunami Warning Centers.

Local hardware and software applications, and tools familiar to the researcher(s), are used to run the Method of Splitting Tsunamis (MOST) model during the forecast model development. The test results presented in this report lend confidence that the model performs as developed and produces the same results when initiated within the forecast system application in an operational setting as those produced by the researcher during the forecast model development. The test results assure those who rely on the Sitka tsunami forecast model that consistent results are produced irrespective of system.

C.2 TESTING PROCEDURE

The general procedure for forecast model testing is to run a set of synthetic tsunami scenarios and a selected set of historical tsunami events through the forecast system application and compare the results with those obtained by the researcher during the forecast model development and presented in the Tsunami Forecast Model Report. Specific steps taken to test the model include:

- Identification of testing scenarios, including the standard set of synthetic events, appropriate historical events, and customized synthetic scenarios that may have been used by the researcher(s) in developing the forecast model.
- Creation of new events to represent customized synthetic scenarios used by the researcher(s) in developing the forecast model, if any.
- Submission of test model runs with the forecast system, and export of the results from A, B, and C grids, along with time series.
- Recording applicable metadata, including the specific forecast system version used for testing.
- Examination of forecast model results for instabilities in both time series and plot results.
- Comparison of forecast model results obtained through the forecast system with those obtained during the forecast model development.

- Summarization of results with specific mention of quality, consistency, and time efficiency.
- Reporting of issues identified to modeler and forecast system software development team.
- Retesting the forecast models in the forecast system when reported issues have been addressed or explained.

Synthetic model runs were tested on a DELL PowerEdge R510 computer equipped with two Xeon E5670 processors at 2.93 Ghz, each with 12 MBytes of cache and 32GB memory. The processors are hex core and support hyperthreading, resulting in the computer performing as a 24 processor core machine. Additionally, the testing computer supports 10 Gigabit Ethernet for fast network connections. This computer configuration is similar or the same as the configurations of the computers installed at the Tsunami Warning Centers so the compute times should only vary slightly.

C.3 Results

The Sitka forecast model was tested with SIFT version 3.2.

The Sitka, Alaska forecast model was tested with four synthetic scenarios and one historical event. Test results from the forecast system and comparisons with the results obtained during the forecast model development are shown numerically in Table 1 and graphically in Figures 44 to 48. The results show that the minimum and maximum amplitudes and time series obtained from the forecast system agree with those obtained during the forecast model development, and that the forecast model is stable and robust, with consistent and high quality results across geographically distributed tsunami sources. The model run time (wall clock time) was 4.5 minutes for 9.99 hours of simulation time, and 1.8 minutes for 4.0 hours. This run time is well within the 10 minute run time for 4 hours of simulation time.

A suite of four synthetic events was run on the Sitka forecast model. The modeled scenarios were stable for all cases run. Wave heights were less than 100 centimeters (cm) for all source zones tested. The largest modeled height was 97 cm from the Aleutian-Alaska-Cascadia (ACSZ 56-65) source zone. The smallest signal of 64 cm was recorded at the far field Central and South America (CSSZ 89-98) source. The comparisons between the development cases (shown in figures 21, 23, 24 of the model report) and the forecast system output were consistent in shape and amplitude for both the Tohoku 2011 historical event and tested synthetic events. The Sitka reference point used for the forecast model development is the same as what is deployed in the forecast system, so the results can be considered valid for the cases studied.

Scenario Name	Source Zone	Tsunami Source	α (m)	SIFT Max (cm)	Development Max (cm)	SIFT Min (cm)	Development Min (cm)
KISZ 22-31	Kamchatka-Yap-Mariana-Izu-Bonin	A22-31, B22-31	25	69.8	69.5	-83.7	-84.0
ACSZ 56-65	Aleutian-Alaska-Cascadia	A56-65, B56-65	25	97.1	98.7	-109.0	-109.9
CSSZ 89-98	Central and South America	A89-98, B89-98	25	64.0	64.1	-63.7	-63.6
NTSZ 30-39	New Zealand-Kermadec-Tonga	A30-39, B30-39	25	69.2	70.2	-99.9	-100.4
Tohoku 2011*	Kamchatka-Yap-Mariana-Izu-Bonin			26.6	32.1	-36.1	-27.5

Table 15: Table of maximum and minimum amplitudes at Sitka, Alaska warning point for synthetic and historical events tested using SIFT.

* Different estimates of the 2011 Tohoku tsunami source were used in the SIFT system and for the model development.




Figure 44: Response of the Sitka forecast model to synthetic scenario KISZ 22-31 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with timeseries 2 in Figure 23.




Figure 45: Response of the Sitka forecast model to synthetic scenario ACSZ 56-65 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with the blue curve in timeseries 9 in Figure 23.




Figure 46: Response of the Sitka forecast model to synthetic scenario CSSZ 89-98 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with timeseries 12 in Figure 24.




Figure 47: Response of the Sitka forecast model to synthetic scenario NTSZ 30-39 (alpha=25). Maximum sea surface elevation for A-grid (top left), B-grid (top right), C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with timeseries 14 in Figure 24.




Figure 48: Response of the Sitka forecast model to the 2011 Tohoku tsunami. Maximum sea surface elevation for A-grid (top left), B-grid (top right),⁹³C-grid (center). Sea surface elevation time series at the C-grid warning point (bottom), to be compared with the red curve in Figure 21, bottom pane.